

REGULATION

on the (17th) amendment of Regulation No. 233/2001, on habit-forming and narcotic substances and other controlled substances.

Article 1

The following changes are made to Article 1:

- a. Instead of paragraph 2 and 3 comes a new point, 4, in paragraph 1, as follows: Furthermore salts, ester, amide, peptides and all kinds of derivatives (variations) of the substances that are specified in attachments I and II, including derivatives, which are different from the original substance in matter of the placing of the chemical group or groups of the substance in consideration to carbon, nitrogen, oxygen and/or sulphur. It also refers to pharmaceutical forms of the named compounds (f.e. tablets, capsules, injections) as well as other medicines which can be used in similar way and have a harmful effect on human health.
- b. Instead of paragraph 4 and 5 comes a new point, 5, in paragraph 1, as follows: Medicines which can have a harmful effect because of risk of addiction or dependence, as they can cause the user to become dependent on them due to habit formation or physical addiction.

Article 2

The following changes are made to Article 2:

- a. After paragraph 1 there comes a new paragraph, as follows:
Ban according to paragraph 1 does not apply to:
 - a. Substances that have been exempted according to paragraph 3 in Article 2 laws on habit forming and narcotic substances, no. 65/1974, with subsequent amendments.
 - b. Medicines that have got a marketing license from the Icelandic Medicine agency according to the Medicinal product act.
 - c. Medicines that are authorized according to the Medicinal product act.
 - d. Substances that may be imported or exported, manufactured and sold in wholesale in terms of paragraph 1, Article 6 of this Regulation.
- b. After the word “ban” in paragraph 2 comes: according to paragraph 1.
- c. The title of Article 2 will be as follows: *Article about ban*.

Article 3

The title of Article 4 will be as follows: *Decision about registration*.

Article 4

The following changes are made to Article 5:

- a. paragraph 5 of Article 5 is deleted.
- b. The title of the Article will be as follows: *Disposal of addictive and narcotic materials*.

Article 5

Following the words “in attachments attached with this regulation” in paragraph 1 in Article 6, comes: or substances that are marked with “x” in column B in attachment I with this regulation.

Article 6

The following changes are made to Article 7:

- a. The words “if quantity is more than the maximum which is specified in Attachment II” in paragraph 2 are deleted.
- b. Instead of the words “*you can use*” in the title, come the words: *That are used*.

Article 7

The following changes are made to Article 8:

- a. The first sentence will be as follows: It's forbidden to clear from customs substance specified in Article 7 unless the Icelandic Medicine agency has given permission.
- b. The title of the Article will be as follows: *Conditions for custom clearance*.

Article 8

Article 9 will be as follows, with a title:

Import and export permit.

Import and export permit in terms of Article 7 are valid for four months unless something else is noted in the permit from the Icelandic Medicine agency. If the permit is not used the holder of the permit is required to notify the Icelandic Medicine agency no later than on the last day that the permit is due. If the permit is regarding unprocessed or semi-processed substances the importer or exporter needs to import or export all the quantity in one shipment. The Icelandic Medicine agency is allowed to terminate a permit if the permit does not fulfil the articles in this regulation.

Paragraph 1 does not apply to the addictive and narcotic medicines that are supposed to be aboard ships and airfares according to applicable rules and regulations. It doesn't either apply to medicine that people have with them for their own use when the importation is in accordance with regulation about peoples importation on medicine for their own use.

Article 9

The following changes are made to Article 10:

- a. Paragraph 5 is deleted.
- b. The title of the Article will be as follows: *Authorized quantity for delivery*.

Article 10

The title of Article 11 will be as follows: *Defined daily dose not specified*.

Article 11

The title of Article 12 will be as follows: *Registration and limitation to delivered amount of medicines that are not authorized in the Country*.

Article 12

The following changes are made to Article 13:

- a. Instead of the words "In terms of Article 43 in the Medicinal product act, with subsequent amendment" in paragraph 2 comes: according to the Medicinal product act.
- b. After paragraph 2, there comes a new paragraph, as follows:
Parties that are responsible for possession and handling substances in accordance with this regulation shall every year give the Icelandic Medicine agency a report on a special form prepared by the agency and give the agency all the information regarding the substances that the agency asks for and considers necessary for surveillance.
- c. The title of the Article will be as follows: *Surveillance*.

Article 13

Article 14 will be as follows, with a title:

Sanctions.

Any breach of this regulation will be dealt with in accordance with Article 5 of the law on habit forming and narcotic substances, no. 65/1974.

Article 14

Title of Article 15 will be as follows: *Entry into force*.

Article 15

Instead of Attachment I and II with this regulation, no. 233/2001 there will come new Attachment I and II which are published with this regulation.

Article 16

This Regulation, which is issued under the authorisation of Article 53 of the Medicinal Products Act no. 100/2020, with subsequent amendments, and Article 2, Article 3 and Article 4 a. of the Act on Habit-forming and Narcotic Substances no. 65/1974, with subsequent amendments, enters into force immediately.

This regulation is notified in accordance with the provision of Directive (EU) 2015/1535 of the European Parliament and of the Council of 9 September 2015 laying down a procedure for the provision of information in the field of technical regulations and of rules on Information Society services. The notification is sent at the same time as the publication of the Regulation on the basis of an exemption in Article 6(7) of the Directive.

Ministry of Health, 16. February 2024.

Willum Þór Þórsson.

*Ásthildur
Knútsdóttir.*

ANNEX I

Explanation

B: Substances that are forbidden on Icelandic territory according to Article 2 of the Act on Habit-formin and Narcotic Substances no. 65/1974, with subsequent amendments, and Article 2 of this regulation on habit-forming and narcotic substances and other controlled substances.

N I – IV: Substances listed in Annex I - IV of Single Convention on Narcotic Drugs of 1961, and the Protocol of 25 March 1972 amending the Single Convention on Narcotic Drugs of 1961.

P I – IV: Substances listed in Annex I – IV of Convention on Psychotropic Substances 1971).

| Substance | Other name | IUPAC (International Union of Pure and Applied Chemistry) and other technical names | International Agreements | B |
|---|--|---|--------------------------|---|
| 1-boc-4-AP | 4-(phenylamino)-1-piperidinecarboxylic acid, 1,1-dimethylethyl ester | tert-Butyl 4-(phenylamino)piperidine-1-carboxylate | | x |
| (1-phenyl-1-piperidyl-(2-methyl)acetate | | (1-phenyl-1-piperidyl-(2-methyl)acetate | | x |
| 1,3-benzodioxolylbutanamine | BDB | 1-(1,3-benzodioxol-5-yl)butan-2-amine | | x |
| 1,3-Benzodioxolyl-N-methylbutanamine | MBDB | 1-(1,3-benzodioxol-5-yl)-N-methylbutan-2-amine | | x |
| 1,4-butanediol | BD | butane-1,4-diol | | x |
| 1cP-LSD | | 1-cyclopropanoyl-LSD | | x |
| 1-phenethylamine | 1-PEA | 1-phenylethan-1-amine | | x |
| 1D-LSD | 1-(1,2-Dimethylcyclobutane-1-carbonyl)-lysergic acid diethylamide | (8 β)-1-(1,2-Dimethylcyclobutane-1-carbonyl)-N,N-diethyl-6-methyl-9,10-didehydroergoline-8-carboxamide | | x |
| 1P-LSD | 1-propionylls ergid | <i>N,N</i> -diethyl-6-methyl-1-propanoyl-9,10-didehydroergoline-8-carboxamide | | x |
| 1V-LSD | | (6aR,9R)- <i>N,N</i> -Diethyl-7-methyl-4-propanoyl-4,,6,6a,7,8,9-hexahydroindolo[4,3-fg]quinoline-9-carboxamide | | x |
| 2-(ethylamino)-1-(3-chlorophenyl)propan-1-one | | 2-(ethylamino)-1-(3-chlorophenyl)propan-1-one | | x |
| 2-(ethylamino)propio-phenone | | 2-(ethylamino)-1-phenylpropan-1-one | | x |
| 2-(methylamino)hexano-phenone | | 2-methylamino-1-phenylhexan-1-one | | x |
| 2,3-DMMC | | 2,3-dimethylmethcathinone | | x |
| 2,4-DMMC | | 2,4-dimethylmethcathinone | | x |
| 2,4-DMPPP | | 1-(2,4-dimethylphenyl)-2-pyrrolidine-1-yl-propan-1-one | | x |
| 2,5-dimethoxy-4-bromoamphetamine | DOB, Bromo-DMA | Brolamfetamine, 1-(4-bromo-2,5-dimethoxyphenyl)propan-2-amine | P I | x |
| 2,5-dimethoxy-4-ethylamphetamine | DOET | 1-(4-ethyl-2,5-dimethoxyphenyl)propan-2-amine | P I | x |
| 2,5-dimethoxy-4-fluoroamphetamine | | 1-(4-fluoro-2,5-dimethoxyphenyl)propan-2-amine | | x |

| | | | | |
|-----------------------------------|-------------------------------------|---|------|---|
| 2,5-dimethoxy-4-methylamphetamine | DOM, STP | 1-(2,5-dimethoxy-4-methylphenyl)propan-2-amine | P I | x |
| 2,5-dimethoxy-4-nitroamphetamine | | 1-(2,5-dimethoxy-4-nitrophenyl)propan-2-amine | | x |
| 25B-NBF | | 2-(4-bromo-2,5-dimethoxyphenyl)-N-(2-fluorobenzyl)ethanamine | | x |
| 25B-NBOH | | 2-([2-(4-bromo-2,5-dimethoxyphenyl)ethylamino]methyl)phenol | | x |
| 25B-NBOMe | NBOMe-2C-B, Cimbi-36 | 2-(4-bromo-2,5-dimethoxyphenyl)-N-[(2-methoxyphenyl)methyl]ethanamine | P I | x |
| 25C-NBF | | 2-(4-chloro-2,5-dimethoxyphenyl)-N-(2-fluorobenzyl)ethanamine | | x |
| 25C-NBOMe | NBOMe-2C-C, Cimbi-82 | 2-(4-chloro-2,5-dimethoxyphenyl)-N-[(2-methoxyphenyl)methyl]ethanamine | P I | x |
| 25D-NBOMe | NBOMe-2C-D | 2-(2,5-dimethoxy-4-methylphenyl)-N-[(2-methoxyphenyl)methyl]ethanamine | | x |
| 25E-NBOH | | 2-([(2-(4-ethyl-2,5-dimethoxyphenyl)ethyl)amino)methyl]phenol | | x |
| 25E-NBOMe | | 2-(4-ethyl-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl)ethanamine | | x |
| 25G-NBOMe | | 2-(2,5-dimethoxy-3,4-dimethylphenyl)-N-(2-methoxybenzyl)ethanamine | | x |
| 25H-NBOMe | | 2-(2,5-dimethoxyphenyl)-N-[(2-methoxyphenyl)methyl]ethanamine | | x |
| 25I-NB34MD | | 2-(4-iodo-2,5-dimethoxyphenyl)-N-[(3,4-methylenedioxyphenyl)methyl]ethanamine | | x |
| 25I-NBF | | 2-(4-iodo-2,5-dimethoxyphenyl)-N-(2-fluorobenzyl)ethanamine | | x |
| 25I-NBMD | | 2-(4-iodo-2,5-dimethoxyphenyl)-N-[(2,3-methylenedioxyphenyl)methyl]ethanamine | | x |
| 25I-NBOH | | 2-([(2-(4-iodo-2,5-dimethoxyphenyl)ethylamino)methyl]phenol | | x |
| 25I-NBOMe | NBOMe-2C-I, Cimbi-5 | 2-(4-iodo-2,5-dimethoxyphenyl)-N-[(2methoxyphenyl)methyl]ethanamine | P I | x |
| 25N-NBOMe | | 2-(2,5-dimethoxy-4-nitrophenyl)-N-(2-methoxybenzyl)ethanamine | | x |
| 2-aminoindane | 2-Al | 2,3-dihydro-1 <i>H</i> -inden-2-amine | | x |
| 2C-B | 2,5-dimethoxy-4-bromophenethylamine | 2-(4-bromo-2,5-dimethoxyphenyl)ethanamine | P II | x |

| | | | | |
|--|---|---|-----|---|
| 2C-B-FLY | | 2-(8-bromo-2,3,6,7-tetrahydrofuro[2,3-f][1]benzofuran-4-yl)ethanamine | | x |
| 2C-C | 2,5-dimethoxy-4-methyl- <i>beta</i> -phenethylamine | 2-(4-chloro-2,5-dimethoxyphenyl)ethanamine | | x |
| 2C-D | 2,5-dimethoxy-4-methylphenethylamine | 2-(2,5-dimethoxy-4-methylphenyl)ethanamine | | x |
| 2C-E | 2,5-dimethoxy-4-ethylphenethylamine | 2-(4-ethyl-2,5-dimethoxyphenyl)ethanamine | | x |
| 2C-F* | | 2,5-dimethoxy-4-fluorophenethylamine | | x |
| 2C-H | | 2,5-dimethoxyphenethylamine | | x |
| 2C-I | 2,5-dimethoxy-4-iodophenethylamine | 2-(4-iodo-2,5-dimethoxyphenyl)ethanamine | | x |
| 2-Cl-4,5-MDMA | | 2-chloro-4,5-methylene-dioxymethamphetamine | | x |
| 2-CMC | 2-Chloromethcathinone | 1-(2-chlorophenyl)-2-(methylamino)-1-propanone | | x |
| 2C-P | 2,5-dimethoxy-4-propylphenethylamine | 2-(2,5-dimethoxy-4-propylphenyl)ethanamine | | x |
| 2C-T-2 | 2,5-dimethoxy-4-ethylthiophenethylamine | 2-(4-ethylthio-2,5-dimethoxyphenyl)ethanamine | | x |
| 2C-T-4 | 2,5-dimethoxy-4-isopropylthiophenethylamine | 2-(2,5-dimethoxy-4-[(1-methylethyl)thio]phenyl)ethanamine | | x |
| 2C-T-7 | 2,5-dimethoxy-4-propylthiophenethylamine | 2-(2,5-dimethoxy-4-propylthio-phenyl)ethanamine | | x |
| 2-fluoroamphetamine | 2-FA | 1-(2-fluorophenyl)propan-2-amine | | x |
| 2-fluoromethamphetamine | 2-FMA | 1-(2-fluorophenyl)-N-methylpropan-2-amine | | x |
| 2-fluoromethcathinone | 2-FMC | 1-(2-fluorophenyl)-2-(methylamino)propan-1-one | | x |
| 2-MEC | | 2-methyl-N-ethylcathinone | | x |
| 2-methylacetylentanyl | | N-[1-(2-phenylethyl)piperidin-4-yl]-N-(2-methylphenyl)acetamide | | x |
| 2-methylamphetamine | 2-MA | 1-(2-methylphenyl)propan-2-amine | | x |
| 2-methyl-AP-237 | | 1-[4-(3-phenylprop-2-en-1-yl)-2-methylpiperazin-1-yl]butan-1-one | N I | x |
| 2-methylmethcathinone | 2-MMC | 2-(methylamino)-1-(2-methylphenyl)propan-1-one | | x |
| 3-(4-hydroxymethylbenzoyl)-1-pentylindeole | | [4-(hydroxymethyl)phenyl](1-pentyl-1 <i>H</i> -indol-3-yl)methanone | | x |
| 3,4-methylenedioxyamphetamine | MDEA, MDE, N-ethyl- MDA | 1-(1,3-benzodioxol-5-yl)- <i>N</i> -ethylpropan-2-amine | P I | x |
| 3,4,5-trimethoxybenzaldehyde | | 3,4,5-trimethoxybenzaldehyde | | x |
| 3,4-DCEC | | 3,4-dichloroethcathinone | | x |

| | | | | |
|--|---------------|---|-----|---|
| 3,4-dichloromethylphenidate | | methyl-2-(3,4-dichlorophenyl)-2-(piperidin-2-yl)acetate | | x |
| 3,4-Dichloro-N,N-cyclohexylmethylmethcathinone | | 2-(cyclohexyl(methyl)amino)-1-(3,4-dichlorophenyl)propan-1-one | | x |
| 3,4-Dimethoxy- α -PHP | | 1-(3,4-dimethoxyphenyl)-2-pyrrolidin-1-ylhexan-1-one | | x |
| 3,4-dimethylmethcathinone | 3,4-DMMC | 1-(3,4-dimethylphenyl)-2-(methylamino)propan-1-one | | x |
| 3,4-DMA | | 3,4-dimethoxyamphetamine | | x |
| 3,4-methylenedioxy-N-hydroxyamphetamine | N-hydroxy-MDA | N-[1-(1,3-benzodioxol-5-yl)propan-2-yl]hydroxylamine | P I | x |
| 3,4-methylenedioxy-U-47700 | | N-[2-(dimethylamino)cyclohexyl]-N-methyl-2H-1,3-benzodioxol-5-carboxamide | | x |
| 3',4'-methylenedioxy- α -pyrrolidinopropiophenone | MDPPP | 1-(1,3-benzodioxol-5-yl)-2-pyrrolidin-1-ylpropan-1-one | | x |
| 3-bromomethcathinone | 3-BMC | 1-(3-bromophenyl)-2-(methylamino)propan-1-one | | x |
| 3-chloroethcathinone | 3-CEC | 2-(ethylamino)-1-(3-chlorophenyl)propan-1-one | | x |
| 3-chloromethcathinone | 3-CMC | 1-(3-chlorophenyl)-2-(methylamino)-1-propanone | | x |
| 3-Desoxy-MDPV | 5-DMFPV | 5-dihydrobenzofuranpyrovalerone | | x |
| 3-fluoroamphetamine | 3-FA | 1-(3-fluorophenyl)propan-2-amine | | x |
| 3-fluoroethylamphetamine | 3-FEA | N-ethyl-1-(3-fluorophenyl)propan-2-amine | | x |
| 3-Fluorofentanyl | | N-(3-fluorophenyl)-N-[1-(2-phenylethyl)piperidin-4-yl]propanamide | | x |
| 3-fluoromethamphetamine | 3-FMA | 1-(3-fluorophenyl)-N-methylpropan-2-amine | | x |
| 3-fluoromethcathinone | 3-FMC | 1-(3-fluorophenyl)-2-(methylamino)propan-1-one | | x |
| 3-fluorophenmetrazine | 3-FPM | 2-(3-fluorophenyl)-3-methylmorpholine | | x |
| 3-hydroxyphenazepam | | 7-bromo-3-hydroxy-5-(2-chlorophenyl)-1,3-dihydro-2H-1,4-benzodiazepin-2-one | | x |
| 3-hydroxyphencyclidine | 3-HO-PCP | 3-[1-(piperidin-1-yl)cyclohexyl]phenol | | x |
| 3-methoxyeticyclidine | 3-MeO-PCE | N-ethyl-1-(3-methoxyphenyl)cyclohexan-1-amine | | x |
| 3-methoxymethcathinone | 3-MeOMC | 1-(3-methoxyphenyl)-2-(methylamino)propan-1-one | | x |
| 3-methylamphetamine | 3-MA | 1-(3-methylphenyl)propan-2-amine | | x |
| 3-methylcrotonylfentanyl | | 3-methyl-N-(1-phenethylpiperidin-4-yl)-N-phenylbut-2-enamide | | x |
| 3-methylethcathinone | 3-MEC | 2-(ethylamino)-1-(3-methylphenyl)propan-1-one | | x |

| | | | | |
|---|---|--|--------|---|
| 3-methylfentanyl | Mefentanyl, 3-MF | N-[3-methyl-1-(2-phenylethyl)piperidin-4-yl]-N-phenylpropanamide | N I+IV | x |
| 3-methylflephedrone | | 1-(3-fluorophenyl)-2-(methylamino)propan-1-one | | x |
| 3-methylmethcathinone | 3-MMC | 2-(methylamino)-1-(3-methylphenyl)propan-1-one | P II | x |
| 3-methylthiofentanyl | | N-[3-methyl-1-(2-thien-2-ylethyl)piperidin-4-yl]-N-phenylpropanamide | N I+IV | x |
| 3-monoacetylmorphine | 3-MAM | 3-acetyl-6-hydroxy-7,8-didehydro-4,5-epoxy-17-methylmorphinan | | x |
| 3-phenylpropanoylfentanyl | | N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]-3-phenylpropanamide | | x |
| 3-phenylpropanoylfentanyl | β' -phenyl fentanyl | N -(1-phenethylpiperidin-4-yl)- N- 3-diphenylpropanamide | | x |
| 3 β -(p-fluorobenzoyloxy)tropane | p-FBT | (8-methyl-8-azabicyclo[3.2.1]octan-3-yl)-4-fluorobenzoate | | x |
| 4,4'-dimethylaminorex | 4,4'-DMAR | 2-amino-4-methyl-5-(4-methylphenyl)-2-oxazoline | P II | |
| 4'-chloro- α -pyrrolidinopropiophenone | 4-chloro- α -PPP | 1-(4-chlorophenyl)-2-(1-pyrrolidinyl)-1-propanone | | x |
| 4'-fluoro- α -pyrrolidinoctanphenone | 4-fluoro-PV-9, 4-fluoro- α -POP | 1-(4-fluorophenyl)-2-(pyrrolidin-1-yl)butan-1-one | | x |
| 4-Acetoxy-DET | Ethacetin, Ethylacybin, 4-Acetoxy- <i>N,N</i> -diethyltryptamine | 3-[2-(diethylamino)ethyl]-1 <i>H</i> -indol-4-yl acetate | | x |
| 4-Acetoxy-DiPT | Ipracetin, 4-acetoxy- <i>N,N</i> -diisopropyltryptamine | 3-[2-[di(propan-2-yl)amino]ethyl]-1 <i>H</i> -indol-4-yl acetate | | x |
| 4-Acetoxy-DMT | O-acetylpsilocin, Psilaceton, 4-acetoxy- <i>N,N</i> -dimethyltryptamine | 3-[2-(dimethylamino)ethyl]-1 <i>H</i> -indol-4-yl acetate | | x |
| 4-Acetoxy-MiPT | Mipracetin, 4-acetoxy- <i>N</i> -methyl- <i>N</i> -isopropyltryptamine | 3-[2-[methyl(propan-2-yl)amino]ethyl]-1 <i>H</i> -indol-4-yl acetate | | x |
| 4-AcO-DMT | | 4-acetoxy- <i>N,N</i> -dimethyltryptamine | | x |
| 4-AcO-MET | | 4-acetoxy- <i>N</i> -methyl- <i>N</i> -ethyltryptamine | | x |
| 4-anilinopiperidine | 4-AP | N-phenyl-4-piperidinamine | | x |
| 4-BMC | | 4-bromomethcathinone | | x |
| 4Br- α -PPP | | 4-bromo- α -pyrrolidinopropiophenone | | x |
| 4Br- α -PVP | | 4-bromo- α -pyrrolidinovalerophenone | | x |
| 4-CA | | 4-chloroamphetamine | | x |
| 4-CBC | | 4-chloro- <i>N</i> -butylcathinone | | x |
| 4-CEC | | 4-chloroethcathinone | | x |

| | | | | |
|---|---|---|------|---|
| 4-chloro-2,5-dimethoxyamphetamine | DOC, 2,5-dimethoxy-4-chloroamphetamine | 1-(4-chloro-2,5-dimethoxyphenyl)propan-2-amine | | x |
| 4-chloro-isobutyrfentanyl | Para-chloroisobutyrfentanyl | N-(4-chlorophenyl)-2-methyl-N-[1-(2-phenylethyl)-4-piperidinyl]-propanamide | | x |
| 4-chloromethcathinone | 4-CMC | 1-(4-chlorophenyl)-2-(methylamino)propan-1-one | | x |
| 4-chloropentedrone | | 4-chloro- α -methylaminovalerophenone | | x |
| 4-CIC | | 4-chloroisopropylcathinone | | x |
| 4-CMA | | 4-chloromethamphetamine | | x |
| 4-EMC | | 1-(4-ethylphenyl)-2-(methylamino)propan-1-one | | x |
| 4-FEC | | 4-fluoroethcathinone | | x |
| 4-fluoroamphetamine | 4-FA, Para-fluoroamphetamine, PFA | 1-(4-fluorophenyl)propan-2-amine | P II | x |
| 4-fluorobufedrone | | 1-(4-fluorophenyl)-2-(methylamino)butan-1-one | | x |
| 4-fluorobutyrfentanyl | 4F-BF | N-[1-(2-phenylethyl)piperidin-4-yl]-N-(4-fluorophenyl)butanamide | | x |
| 4-Fluoroethylamphetamine | 4-FEA | N-ethyl-4-fluoro- α -methylbenzeneethanamine | | x |
| 4-fluorisobutyrfentanyl | 4F-Ibf, pFIBF | N-[1-(2-phenylethyl)piperidin-4-yl]-N-(4-fluorophenyl)-2-methylpropanamide | N I | x |
| 4-fluoromethamphetamine | 4-FMA | 1-(4-fluorophenyl)-N-methylpropan-2-amine | | x |
| 4-fluoromethylphenidate | 4F-MPH | methyl-2-(4-fluorophenyl)-2-(piperidin-2-yl)acetate | | x |
| 4-Fluoro-N-isopropylnorpentedrone | | 1-(4-fluorophenyl)-2-(1-methylethylamino)pentan-1-one | | x |
| 4-fluoropentedrone | 4-FPD | 1-(4-fluorophenyl)-2-(methylamino)pentan-1-one | | x |
| 4'-Fluoro- α -pyrrolidinopentiophenone | 4-fluoro- α -PVP, 4F-alfa-PVP | 1-(4-fluorophenyl)-2-(1-pyrrolidinyl)-1-pentanone | | x |
| 4F-MDMB-BINACA | | methyl-2-[1-(4-fluorobutyl)-1H-indazol-3-carboxamido]-3,3-dimethylbutanoate | | x |
| 4F-NEB* | | 4-fluoro-N-ethylbuphedrone, 2-(ethylamino)-1-(4-fluorophenyl)butan-1-one | | x |
| 4F-NEP | | 4-fluoro-N-ethylpentedrone | | x |
| 4F-PBP | | 4-fluoro- α -pyrrolidinobutyrophenone | | x |
| 4F- α -PHiP | 4-fluoro- α -pyrrolidinoisohexanophenone | 4-methyl-1-(4-fluorophenyl)-2-(pyrrolidin-1-yl)pentan-1-one | | x |
| 4F- α -PHP | 4-fluoro- α -pyrrolidino-hexanophenone | 1-(4-fluorophenyl)-2-(pyrrolidin-1-yl)hexan-1-one | | x |
| 4-HO-DET | Ethocin, CZ-74, 4-Hydroxy-diethyl-tryptamine | 3-[2-(diethylamino)ethyl]-1H-indol-4-ol | | x |

| | | | | |
|---|--|---|------|---|
| 4-HO-DiPT | Iprocin, 4-Hydroxy-di-isopropyl-tryptamine | 3-[2-[di(propan-2-yl)amino]ethyl]-1 <i>H</i> -indol-4-ol | | x |
| 4-HO-MET | Metocin, Methylsybin, 4-hydroxy- <i>N</i> -methyl- <i>n</i> -ethyltryptamine | 3-[2-[ethyl(methyl)amino]ethyl]-1 <i>H</i> -indol-4-ol | | x |
| 4-HO-MiPT | Miprocin, 4-hydroxy- <i>N</i> -methyl- <i>N</i> -isopropyltryptamine | 3-[2-[methyl(propan-2-yl)amino]ethyl]-1 <i>H</i> -indol-4-ol | | x |
| 4-Hydroxymethcathinone | | 1-(4-hydroxyphenyl)-2-(methylamino)propan-1-one | | x |
| 4-iodo-2,5-dimethoxyphenylisopropylamine | DOI, 2,5-dimethoxy-4-iodoamphetamine | 1-(4-iodo-2,5-dimethoxyphenyl)propan-2-amine | | x |
| 4-MeOPBP* | | 4'-methoxy- α -pyrrolidinobutiophenone | | x |
| 4-MeO-PCP | | 1-[1-(4-methoxyphenyl)cyclohexyl]piperidine | | x |
| 4-MeO- α -PVP | | 4-methoxy- α -pyrrolidinovalerophenone | | x |
| 4-methoxyamphetamine | PMA, methoxyamphetamine | Para-1-(4-methoxyphenyl)propan-2-amine | P I | x |
| 4-methoxybutyrfentanyl | 4-MeO-BF | N-[1-(2-phenylethyl)piperidin-4-yl]-N-(4-methoxyphenyl)butanamide | | x |
| 4-methoxymethamphetamine | PMMA, methoxymethamphetamine | Para-1-(4-methoxyphenyl)- <i>N</i> -methylpropan-2-amine | | x |
| 4-methylaminorex | 4-MAX | 4-methyl-5-phenyl-4,5-dihydro-1,3-oxazol-2-amine | P I | x |
| 4-methylamphetamine | 4-MA | 1-(4-methylphenyl)propan-2-amine | | x |
| 4-methylbuphedrone | 4-Me-MABP | 2-(methylamino)-1-(4-methylphenyl)butan-1-one | | x |
| 4-methylethcathinone | 4-MEC | 2-ethylamino-1-(4-methylphenyl)propan-1-one | P II | x |
| 4-methylmethamphetamine | 4-MMA | <i>N</i> -methyl-1-(4-methylphenyl)propan-2-amine | | x |
| 4-methylmethylphenidate | | methyl-2-(4-methylphenyl)-2-(piperidin-2-yl)acetate | | x |
| 4-methylthioamphetamine | 4-MTA | 1-(4-(methylthio)phenyl)propan-2-amine | P I | x |
| 4-methyl- α -ethylaminopentiophenone | | 2-(ethylamino)-1-(4-methylphenyl)-1-pentanone | | x |
| 4-methyl- α -PiHP | 4-methyl- α -pyrrolidinoiso-hexanophenone | 4-methyl-1-(4-methylphenyl)-2-(pyrrolidin-1-yl)pentan-1-one | | x |
| 5-(2-aminopropyl)benzofuran | 5-APB | 1-(1-benzofuran-5-yl)propan-2-amine | | x |
| 5-(2-Aminopropyl)indole | 5-IT, 5-API | 1-(1 <i>H</i> -indol-5-yl)propan-2-amine | | x |
| 5Cl-AB-PINACA | | N-(1-amino-3-methyl-1-oxobutan-2-yl)-1-(5-chloropentyl)-1 <i>H</i> -indazol-3-carboxamide | | x |

| | | | | |
|--------------------|--|--|------|---|
| 5Cl-AKB-48 | | N-(adamantyl)-1-(5-chloropentyl)-1H-indazol-3-carboxamide | | x |
| 5Cl-APINACA | | N-(1-adamantyl)-1-(5-chloropentyl)-1H-indazol-3-carboxamide | | x |
| 5-DBFPV | | 5-dihydrobenzofuranpyrovalerone | | x |
| 5-EAPB | | 5-(N-ethyl-2-aminopropyl)benzofuran | | x |
| 5F-AB-PINACA | | N-(1-amino-3-methyl-1-oxobutan-2-yl)-1-(5-fluoropentyl)-1H-indazol-3-carboxamide | | x |
| 5F-ADBICA | | N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1-(5-fluoropentyl)-1H-indol-3-carboxamide | | x |
| 5F-AKB-48 | 5F-APINACA | N-(1-adamantyl)-1-(5-fluoropentyl)-1H-indazol-3-carboxamid | PII | x |
| 5F-AKB-57 | | adamantyl-1-(5-fluoropentyl)-1H-indazol-3-carboxylate | | x |
| 5F-AMB-PICA | | N-(1-methoxycarbonyl-2-methylpropyl)-1-(5-fluoropentyl)-1H-indol-3-carboxamide | | x |
| 5F-CUMYL-PeGACLONE | | 2-(2-phenylpropan-2-yl)-5-(5-fluoropentyl)-2,5-dihydro-1H-pyrido[4,3-b]indol-1-one | | x |
| 5F-EDMB-PINACA | | ethyl-2-[1-(5-fluoropentyl)-1H-indazol-3-carboxamido]-3,3-dimethylbutanoate | | x |
| 5F-MDMB-PICA | | methyl-2-[1-(5-fluoropentyl)-1H-indol-3-carboxamido]-3,3-dimethylbutanoate | | x |
| 5F-MDMB-PINACA | 5F-ADB | N-(1-methoxycarbonyl-2,2-dimethylpropyl)-1-(5fluoropentyl)-1H-indazol-3-carboxamid | P II | x |
| 5F-PB-22 | | 8-quinolinyl-1-(5-fluoropentyl)-1H-indol-3-carboxylate | PII | x |
| 5-FUR-144 | XLR-11 | [1-(5-fluoropentyl)-1H-indol-3-yl](2,2,3,3-tetramethylcyclopropyl)methanone | PII | x |
| 5-MAPDB | | 1-(2,3-dihydrobenzofuran-5-yl)-N-methylpropan-2-amine | | x |
| 5-MAPDI | | 1-(2,3-dihydro-1H-inden-5-yl)-N-methylpropan-2-amine | | x |
| 5-MeO-DALT | <i>N,N</i> -diallyl-5-methoxytryptamine | <i>N</i> -allyl- <i>N</i> -[2-(5-methoxy-1H-indol-3-yl)ethyl]prop-2-en-1-amine | | x |
| 5-MeO-DET | | N,N-diethyl-2-(5-methoxy-1H-indol-3-yl)ethanamine | | x |
| 5-MeO-DiPT | 5-methoxy- <i>N,N</i> -diisopropyltryptamine | <i>N</i> -[2-(5-methoxy-1H-indol-3-yl)ethyl]- <i>N</i> -propan-2-ylpropan-2-amine | | x |
| 5-MeO-DMT | 5-methoxy- <i>N,N</i> -dimethyltryptamine | 2-(5-methoxy-1H-indol-3-yl)- <i>N,N</i> -dimethylethanamine | | x |
| 5-MeO-EIPT | | 5-methoxy- <i>N</i> -ethyl- <i>N</i> -isopropyltryptamine | | x |

| | | | | |
|----------------------------------|--|---|----------|---|
| 5-MeO-MALT | | N-[2-(5-methoxy-1H-indol-3-yl)ethyl]-N-methylprop-2-en-1-amine | | x |
| 5-MeO-MET | 5-methoxy-N-methyl-N-ethyltryptamine | | | x |
| 5-MeO-MiPT | 5-methoxy-N-methyl,N-isopropyltryptamine | N-[2-(5-methoxy-1H-indol-3-yl)ethyl]-N-methylpropan-2-amine | | x |
| 5-MeO-NIPT | | N-[2-(5-methoxy-1H-indol-3-yl)ethyl]propan-2-amine | | x |
| 5-Metoksymetylon | bk-MMDMA | β -keto-5-methoxy-3,4-methylenedioxy-methamphetamine | | x |
| 6-(2-aminopropyl)benzofuran | 6-APB | 1-(1-benzofuran-6-yl)propan-2-amine | | x |
| 6-allyl-6-norLSD | AL-LAD, allylnorlysergide | 6-allyl-N,N-diethyl-9,10-didehydroergolin-8-carboxamide | | x |
| 6-MAM | 6-monoacetylmorphine | (5 α ,6 α)-7,8-didehydro-4,5-epoxy-17-methyl-morphinan-3,6-diol 6-acetate | | x |
| 6-methoxy-MDA | | 6-methoxy-3,4-methylenedioxy-amphetamine | | x |
| 7-hydroxymitragynine | Mitragynine hydroxyindolenine | methyl (E)-2-[3-ethyl-7 α -hydroxy-8-methoxy-1,2,3,4,6,7,7 α ,12b-octahydro-1H-indolo[2,3-a]quinolizin-2-yl]-3-methoxyprop-2-enoate | | x |
| AB-001 | | (1-adamantyl)(1-pentyl-1H-indol-3-yl)methanone | | x |
| AB-CHMINACA | | N-(1-aminocarbonyl-2-methylpropyl)-1-(cyclohexylmethyl)-1H-indazol-3-carboxamide | PII | x |
| AB-PINACA | | N-[(2S)-1-amino-3-methyl-1-oxobutan-2-yl]-1-pentylindazole-3-carboxamide | PII | x |
| Acetorphine | | 4,5-epoxy-7-(1-hydroxy-1-methylbutyl)-6-methoxy-17-methyl-6,14-ethenomorphinan-3-yl acetate | N I+IV | x |
| Acetylhydrocodeine | | 4,5-epoxy-3-methoxy-17-methylmorphinan-6-yl acetate | N II+III | |
| Acetylentanyl | | N-(1-phenethylpiperidin-4-yl)-N-phenylacetamide | N I | x |
| Acetylmethadol | Methadyl acetate | 6-(dimethylamino)-4,4-diphenylheptan-3-yl acetate | N I | |
| Acetyl- α -methylfentanyl | α -methylacetylentanyl | N-phenyl-N-[1-(1-phenylpropan-2-yl)piperidin-4-yl]acetamide | N I+IV | x |
| A-CHMINACA | | N-(1-adamantyl)-1-(cyclohexylmethyl)-1H-indazol-3-carboxamide | | x |
| Acrylfentanyl | ACRYLOYLFENTANYL | N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]-2-propenamide | N I | |
| ADB-4en-PINACA | | N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1-(pent-4-en-1-yl)-1H-indazole-3-carboxamide | | x |

| | | | | |
|--------------------------------|--|--|------|---|
| ADB-BUTINACA | ADB-BINACA | N-[(1S)-1-(aminocarbonyl)-2,2-dimethylpropyl]-1-butyl-1H-indazole-3-carboxamide | P II | x |
| ADB-CHMINACA | MAB-CHMINACA | N-[(2S)-1-amino-3,3-dimethyl-1-oxobutan-2-yl]-1-(cyclohexylmethyl)-1H-indazole-3-carboxamide | P II | |
| ADB-FUBINACA | | N-[1-(aminocarbonyl)-2,2-dimethylpropyl]-1-[(4-fluorophenyl)methyl]-1H-indazol-3-carboxamide | P II | x |
| ADB-HEXINACA | | (S)-N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1-hexyl-1H-indazole-3-carboxamide | | x |
| Adinazolam | | 1-(6-phenyl-8-chloro-4H-[1,2,4]triazolo[4,3-a][1,4]benzodiazepin-1-yl)-N,N-dimethylmethanamine | | x |
| AH-7921 | | 3,4-dichloro-N-[[1-(dimethylamino)cyclohexyl]methyl]benzamide | | x |
| ALD-52 | | 1-acetyl-N,N-diethyl-6-methyl-9,10-didehydroergoline-8-carboxamide | | x |
| Alfentanil | | N-[1-[2-(4-ethyl-5-oxo-4,5dihydro-1H-tetrazol-1-yl)ethyl]-4-(methoxymethyl)piperidin-4-yl]-N-phenylpropanamide | NI | x |
| Allobarbital | Allobarbitone | 5,5-bis(prop-2-enyl)-1,3-diazinan-2,4,6-trione | P IV | x |
| Allyescaline | 4-allyloxy-3,5-dimethoxyphenethylamine | 2-(3,5-dimethoxy-4-prop-2-enoxyphenyl)ethanamine | | x |
| Allylprodine | | 1-methyl-4-phenyl-3-prop-2-enylpiperidin-4-yl propionate | NI | |
| Alphacetylmethadol (AAM) | | [(3R,6R)-6-(dimethylamino)-4,4-diphenylheptan-3-yl] acetate | NI | |
| Alphameprodine | α -meprodine | [(3S,4R)-3-ethyl-1-methyl-4-phenylpiperidin-4-yl] propanoate | NI | |
| Alphamethadol | α -methadol, Alfametadol | (3R,6R)-6-(dimethylamino)-4,4-diphenylheptan-3-ol | NI | |
| Alphaprodine | | [(3R,4S)-1,3-dimethyl-4-phenylpiperidin-4-yl] propanoate | NI | |
| Alpha-PiHP | | 4-methyl-1-phenyl-2-pyrrolidin-1-ylpentan-1-one | P II | x |
| Alprazolam | | 8-chloro-1-methyl-6-phenyl-4H-[1,2,4]triazolo[4,3-a][1,4]benzodiazepine | P IV | x |
| AM-1220 | | [1-[(1-methylpiperidin-2-yl)methyl]-1H-indol-3-yl](naphthalen-1-yl)methanone | | x |
| AM-2201 | 1-(5-fluoropentyl)-3-(1-naphthoyl)indole | 1-[(5-fluoropentyl)-1H-indol-3-yl](naphthalen-1-yl)methanone | P II | x |
| AM-2201 chlorine analog | | (1-(5-chloropentyl)-1H-indol-3-yl)(naphthalen-1-yl)methanone | | x |
| AM-2201 fluoropentyl isomer | N-(3- | (1-(3-fluoropentyl)-1H-indol-3-yl)(naphthalen-1-yl)methanone | | x |

| | | | | |
|-----------------------|--|--|-------|---|
| AM-2233 | | (2-iodophenyl)-[1-[(1-methylpiperidin-2-yl)methyl]-1H-indol-3-yl]methanone | | x |
| AM-679 | | (1-pentyl-1H-indol-3-yl)(2-iodophenyl)methanone | | x |
| AM-694 | 1-(5-fluoropentyl)-3-(2-iodobenzoyl)indole | 1-[(5-fluoropentyl)-1H-indol-3-yl]-2-iodophenyl)methanone | | x |
| AMB-CHMINACA | | methyl-2-[(1-(cyclohexylmethyl)-1H-indazol-3-carbonyl]amino)-3-methylbutanoate | | x |
| AMB-FUBINACA | MMB-FUBINACA, FUB-AMB | N-(1-methoxycarbonyl-2-methylpropyl)-1-(p-fluorobenzyl)-1H-indazol-3-carboxamide | PII | x |
| Amfepramone | Diethylpropion, Diethylcathinone | 2-(diethylamino)-1-phenylpropan-1-one | P IV | x |
| Amineptine | | 7-[(10,11-dihydro-5H-dibenzo[a,d]-cyclohepten-5-yl)amino]heptanoic acid | P II | |
| Aminorex | | 5-phenyl-4,5-dihydro-1,3-oxazol-2-amine | P IV | |
| Amobarbital | Amylobarbitone | 5-ethyl-5-(3-methylbutyl)-1,3-diazinane-2,4,6-trione | P III | |
| Amphetamine | Amfetamín (íslenska) | 1-phenylpropan-2-amine | P II | x |
| Amphetaminil | | 2-phenyl-2-(1-phenylpropanyl-2-amino)acetonitrile | | x |
| Amyl nitrite | Allir isomerar | Pentyl nitrite | | x |
| Anileridine | | ethyl 1-[2-(4-aminophenyl)ethyl]-4-phenylpiperidine-4-carboxylate | N I | |
| Apinaca | | N-(1-adamantyl)-1-pentyl-1H-indazol-3-carboxamide | | x |
| Aprobarbital | Aprobarbitone, Allylpropymal | 5-propan-2-yl-5-prop-2-enyl-1,3-diazinane-2,4,6-trione | | x |
| Barbital | Barbitone | 5,5-diethyl-1,3-diazinane-2,4,6-trione | P IV | x |
| Bentazepam | Thiadipone | 1,3,6,7,8,9-hexahydro-5-phenyl-2H-[1]-benzothieno[2,3-e]-1,4-diazepin-2-one | | x |
| Benzethidine | | ethyl 4-phenyl-1-(2-(benzyloxy)ethyl)piperidine-4-carboxylate | N I | |
| Benzodioxole-fentanyl | | N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]-2H-1,3-benzodioxole-5-carboxamide | | x |
| Benzoylbenzylfentanyl | | N-(1-benzylpiperid-4-yl)-N-phenylbenzamide | | x |
| Benzoylecgonin | | (1R,2R,3S,5S)-3-benzoyloxy-8-methyl-8-azabicyclo[3.2.1]octane-2-carboxylic acid | | x |
| Benzoylfentanyl | | N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]-benzamid | | x |
| Benzphetamine | Benzylamphetamine | N-benzyl-N-methyl-1-phenylpropan-2-amine | P IV | x |
| Benzylfentanyl | | N-(1-benzylpiperidin-4-yl)-N-phenylpropionamide | | x |

| | | | | |
|-------------------|---|--|------|---|
| Benzylmorphine | Peronine | 3-(benzyloxy)-7,8-didehydro-4,5-epoxy-17-methylmorphinan-6-ol | N I | x |
| Benzylpiperazine | BZP | 1-benzylpiperazine | P II | x |
| Betacetylmethadol | | [(3S,6R)-6-(dimethylamino)-4,4-diphenylheptan-3-yl] acetate | N I | |
| Betameprodine | | [(3R,4R)-3-ethyl-1-methyl-4-phenylpiperidin-4-yl] propanoate | N I | |
| Betamethadol | betametadol, β-methadol | (3S,6R)-6-(dimethylamino)-4,4-diphenylheptan-3-ol | N I | |
| Betaprodine | | [(3R,4R)-1,3-dimethyl-4-phenylpiperidin-4-yl] propanoate | N I | |
| Bezitramide | | 4-[4-(2-oxo-3-propanoylbenzimidazol-1-yl)piperidin-1-yl]-2,2-diphenylbutanenitrile | N I | |
| bk-2C-B | | 2-amino-1-(4-bromo-2,5-dimethoxyphenyl)ethanone | | x |
| bk-3,4-MDPA | Propylon | β-keto-3,4-methylenedioxy-propylamphetamine | | x |
| bk-6-metoxy-MDMA | N-Methyl-bk-MMDA-2; | β-keto-6-methoxy-3,4-methylenedioxy-methamphetamine | | x |
| bk-IMP | | 1-(2,3-dihydro-1H-inden-5-yl)-2-(methylamino)propan-1-one | | x |
| bk-IVP | | 1-(2,3-dihydro-1-inden-5-yl)-2-(ethylamino)pentan-1-one | | x |
| bk-MDEA | | β-keto-methylenedioxy-N-ethylamphetamine | | x |
| bk-MDMA | | β-keto-3,4-methylenedioxy-methamphetamine | P II | x |
| bk-PBDB | β-keto- <i>N</i> -propylbenzodioxolylbutanamine | 1-(1,3-benzodioxol-5-yl)-2-(propylamino)butan-1-one | | x |
| BMDB* | | 2-benzylamino-1-(3,4-methylenedioxy-phenyl)butan-1-one | | x |
| BMDP | | 1-(1,3-benzodioxol-5-yl)-2-(benzylamino)propan-1-one | | x |
| Brallobarital | Brallobarbitone | 5-(2-bromoprop-2-en-1-yl)-5-(prop-2-en-1-yl)-1,3-diazinane-2,4,6-trione | | x |
| Bromadoline | | 4-bromo-N-[2-(dimethylamino)cyclohexyl]benzamide | | x |
| Bromazepam | Heptabarbitone | 7-bromo-1,3-dihydro-5-(pyridin-2-yl)-2 <i>H</i> -1,4-benzodiazepin-2-one | P IV | x |
| Bromazolam | | 8-bromo-6-phenyl-1-methyl-4 <i>H</i> -[1,2,4]triazolo[4,3-a][1,4]benzodiazepine | | x |
| Bromo-DragonFLY | Bromo-benzodifuranyl-isopropylamine | 1-(4-bromofuro[2,3-f][1]benzofuran-8-yl)propan-2-amine | | x |
| Bromo-STP | | 2-(3-bromo-2,5-dimethoxy-4-methylphenyl)ethanamine | | x |
| Brorphine | | 1-(1-(1-(4- | N I | x |

| | | | | |
|-----------------|---|--|--------|---|
| | | bromophenyl)ethyl)piperidin-4-yl)-1,3-dihydro-2H-benzo[d]imidazol-2-one | | |
| Brotizolam | | 2-bromo-4-(2-chlorophenyl)-9-methyl-6H-thieno[3,2-f][1,2,4]triazolo[4,3-a][1,4]diazepine | P IV | x |
| Bufofenin | 5-HO-DMT, N,N-dimethyl-5-hydroxytryptamine, N,N-dimethylserotonin | 3-[2-(dimethylamino)ethyl]-1H-indol-5-ol | | x |
| Buphedrone | α-methylamino-butyrophenone , MABP | 2-methylamino-1-phenylbutan-1-one | | x |
| Buprenorphine | | 17-cyclopropylmethyl-4,5-epoxy-6,14-ethano-3-hydroxy-6-methoxymorphaninan-7-yl]-3,3-dimethylbutan-2-ol | P III | x |
| Butabital | | 5-(2-methylpropyl)-5-(prop-2-enyl)-1,3-diazinane-2,4,6-trione | P III | x |
| Butobarbital | Butobarbitone, Butethal | 5-butyl-5-ethyl-1,3-diazinane-2,4,6-trione | P IV | x |
| Butonitazene | butoxynitazene | 2-(2-(4-butoxybenzyl)-5-nitro-1H-benzimidazol-1-yl)-N,N-diethylethan-1-amine | | x |
| Butylone | β-keto-N-methylbenzodioxolylbutanamine bk-MBDB | 1-(1,3-benzodioxol-5-yl)-2-(methylamino)butan-1-one | | x |
| Butyrfentanyl | | N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]butanamide | N I | x |
| BZO-4en-POXIZID | 4-en-pentyl MDA-19 | (Z)-N'-(2-oxo-1-(pent-4-en-1-yl)indolin-3-ylidene)benzohydrazide | | x |
| C30-NBOMe | | 2-(4-chloro-2,5-dimethoxyphenyl)-N-(3,4,5-trimethoxybenzyl)ethanamine | | x |
| Camazepam | | 7-chloro-1,3-dihydro-1-methyl-2-oxo-5-phenyl-2H-1,4-benzodiazepin-3-yl N,N-dimethylcarbamate | P IV | x |
| Cannabis | Kannabis, Hass, Marijuana, Marihuana | | N I+IV | x |
| Cannabis-harpix | Kannabis harpix | | N I+IV | x |
| Carfentanil | Carfentanyl | Methyl 4-[(1-oxopropyl)phenylamino]-1-(2-phenylethyl)-4-piperidinecarboxylate | N IV | x |
| Carisoprodol | | [2-(carbamoyloxyethyl)-2-methylpentyl] N-propan-2-ylcarbamate | | x |
| Cathine | (+)-Norpseudoephedrine, D-Norpseudoephedrine | 2-amino-1-phenylpropan-1-ol | P III | x |
| Cathinone | Benzoylethanamine, Hagigat | 2-amino-1-phenylpropan-1-one | P I | x |

| | | | | |
|---------------------------|-----------------------|---|----------|---|
| CB-13 | SAB-378, CRA-13 | naphthalen-1-yl-(4-pentyloxy)naphthalen-1-yl)methanone | | x |
| Chloral hydrate | Chlorali hydras | 2,2,2-trichloroethane-1,1-diol | | x |
| Chloraladol | Chlorhexadol | 2-methyl-4-(2,2,2-trichloro-1-hydroxyethoxy)pentan-2-ol | | x |
| Chlordiazepoxide | | 7-Chloro-2-methylamino-5-phenyl-3H-1,4-benzodiazepine 4-oxide | P IV | x |
| Chloro-isobutyrylfentanyl | | N-(2-chlorophenyl)-2-methyl-N-[1-(2-phenylethyl)-4- piperidyl]propanamide, N-(3-chlorophenyl)-2-methyl-N-[1-(2-phenylethyl)-4- piperidyl]propanamide, N-(4-chlorophenyl)-2-methyl-N-[1-(2-phenylethyl)-4- piperidyl]propanamide | | x |
| Chlorphentermine | | 1-(4-chlorophenyl)-2-methylpropan-2-amine | | x |
| Clobazam | | 7-chloro-1-methyl-5-phenyl-1,5-benzodiazepine-2,4-dione | P IV | x |
| Clobenzorex | | N-[(2-chlorophenyl)methyl]-1-phenylpropan-2-amine | | x |
| Clomethiazole | Chlormethiazole | 5-(2-chloroethyl)-4-methyl-1,3-thiazole | | x |
| Clonazepam | | 5-(2-chlorophenyl)-1,3-dihydro-7-nitro-2H-1,4-benzodiazepin-2-one | P IV | x |
| Clonazolam | | 6-(2-chlorophenyl)-1-methyl-8-nitro-4H-benzo[f][1,2,4]triazolo[4,3-a][1,4]diazepine | | x |
| Cloniprazepam | | 1-(cyclopropylmethyl)-5-(2-chlorophenyl)-7-nitro-1,3-dihydro-2H-[1,4]-benzodiazepin-2-one | | x |
| Clonitazene | | 2-[2-[(4-chlorophenyl)methyl]-5-nitrobenzimidazol-1-yl]-N,Ndiethylethanamine | N I | |
| Clorazepate | Clorazepate | 7-chloro-1,3-dihydro-2-oxo-5-phenyl-1H-1,4-benzodiazepine-3-carboxylic acid | P IV | |
| Clotiazepam | | 5-(2-chlorophenyl)-7-ethyl-1-methyl-2H-thieno[2,3-e][1,4]diazepin-2-one | P IV | x |
| Cloxaizolam | | 10-chloro-11b-(2-chlorophenyl)-2,3,7,11b-tetrahydro-[1,3]oxazolo[3,2-d][1,4]benzodiazepin-6-one | P IV | x |
| Coca blöð | Folium coca | | N I | x |
| Cocaine | Benzoylmethylecgonine | Methyl 3-benzoyloxy-8-methyl-8-azabicyclo[3.2.1]octane-4-carboxylate | N I+III | x |
| Codeine | 3-methylmorphine | 7,8-didehydro-4,5-epoxy-3-methoxy-17-methylmorphinan-6-ol | N II+III | |

| | | | | |
|------------------------------|--|---|-------|---|
| Codeine- <i>N</i> -oxide | Genocodeine | 7,8-didehydro-4,5-epoxy-3-methoxy-17-methylmorphinan-6-ol 17-oxide | N I | x |
| Codoxime | Codossima | (Epoxy-3-methoxy-17-methylmorphinan-6ylidene)amino)oxy)acetic acid | N I | |
| CP 47,497-C6 | CP 47,497 dimethylhexyl homologue | 2-[3-hydroxycyclohexyl]-5-(2-methylheptan-2-yl)phenol | | x |
| CP 47,497-C7 | CP 47,497 | 2-[3-hydroxycyclohexyl]-5-(2-methyloctan-2-yl)phenol | | x |
| CP 47,497-C8 | Cannabicyclohexanol, CP 47,497 dimethyloctyl homologue | 2-[3-hydroxycyclohexyl]-5-(2-methylnonan-2-yl)phenol | | x |
| CP 47,497-C9 | CP 47,497 dimethylnonyl homologue | 2-[3-hydroxycyclohexyl]-5-(2-methyldecan-2-yl)phenol | | x |
| CP 55,940 | | 2-[5-hydroxy-2-(3-hydroxypropyl)cyclohexyl]-5-(2-methyloctan-2-yl)phenol | | x |
| Crotonylfentanyl | | (E)-N-(1-phenethylpiperidin-4-yl)-N-phenylbut-2-enamide | N I | x |
| CUMYL-4CN-BINACA | | N-(1-methyl-1-phenylethyl)-1-(4-cyanobutyl)-1H-indazol-3-carboxamide | P II | x |
| CUMYL-5F-P7AICA | | N-(2-phenylpropan-2-yl)-1-(5-fluoropentyl)-7-azaindol-3-carboxamide | | x |
| CUMYL-5F-PINACA | | N-(2-phenylpropan-2-yl)-1-(5-fluoropentyl)-1H-indazol-3-carboxamide | | x |
| CUMYL-CHMGACLONE | | 5-(cyclohexylmethyl)-2-(2-phenylpropan-2-yl)-2,5-dihydro-1H-pyrido[4,3-b]indol-1-one | | x |
| CUMYL-PeGACLONE | | 2-(2-phenylpropan-2-yl)-5-pentyl-2,5-dihydro-1H-pyrido[4,3-b]indol-1-one | | x |
| CUMYL-PICA | | N-(2-phenylpropan-2-yl)-1-pentyl-1H-indol-3-carboxamide | | x |
| Cyclobarital | Cyclobarbitol, Cyclobarbitalone | 5-(cyclohexen-1-yl)-5-ethyl-1,3-diazinane-2,4,6-trione | P III | |
| Cyclopentylfentanyl | | N-phenyl-N-[1-(2-phenylethyl)-4-piperidyl]cyclopentanecarboxamide | | x |
| Cyclopropylfentanyl | | N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]cyclopropane-carboxamide | N I | x |
| Delorazepam | Chlordesmethyldiazepam | 7-chloro-5-(2-chlorophenyl)-1,3-dihydro-2 <i>H</i> -1,4-benzodiazepin-2-one | P IV | x |
| Deschloroetizolam | | 2-ethyl-9-methyl-4-phenyl-6 <i>H</i> -thieno[3,2-f][1,2,4]triazolo[4,3-a][1,4]diazepine | | x |
| Deschloro-N-ethylnorketamine | O-PCE | 2-(ethylamino)-2-phenylcyclohexan-1-one | | x |

| | | | | |
|--------------------------------|---|---|----------|---|
| Desmethylprodine | MPPP, 1-Methyl-4-phenyl-4-propionoxypiperidine | 1-methyl-4-phenylpiperidin-4-yl propionate | N I+IV | |
| Desomorphine | Dihydrodesoxymorphine „Krokodil“ | 4,5-epoxy-17-methylmorphinan-3-ol | N I+IV | x |
| Desoximetoxetamine | DMXE | 2-(ethylamino)-2-(3-methylphenyl)-cyclohexanone | | x |
| Desoxy-D2PM | | 2-(diphenylmethyl)pyrrolidine | | x |
| Desoxypipradrol | 2-diphenylmethylpiperidine, 2-DPMP | 2-benzhydrylpiperidine | | x |
| Despropionylfluorofentan yl | | N-(2-Fluorophenyl)-1-(2-phenylethyl)piperidin-4-amine, N-(3-Fluorophenyl)-1-(2-phenylethyl)piperidin-4-amine, N-(4-Fluorophenyl)-1-(2-phenylethyl)piperidin-4-amine | | x |
| Dextroamphetamine | Dexamphetamine | (2S)-1-phenylpropan-2-amine | P II | x |
| Dextromoramide | | (3S)-3-methyl-4-morpholin-4-yl-2,2-diphenyl-1-pyrrolidin-1-ylbutan-1-one | N I | |
| Dextropropoxyphene | | 1-benzyl-3-(dimethylamino)-2-methyl-1-phenylpropyl propionate | N II+III | |
| Diampromide | | N-[2-[methyl(2-phenylethyl)amino]propyl]-N-phenylpropanamide | N I | |
| Diazepam | | 7-chloro-1,3-dihydro-1-methyl-5-phenyl-2H-1,4-benzodiazepin-2-one | P IV | |
| Dibenzylpiperazine | DBZP | 1,4-dibenzylpiperazine | | x |
| Dibutylone | β -keto-dimethylbenzodioxolylbutanamine, bk-DMBDB | 1-(1,3-benzodioxol-5-yl)-2-(dimethylamino)butan-1-one | | x |
| Dichloropane | RTI-111 | methyl-3-(3,4-dichlorophenyl)-8-methyl-8-azabicyclo[3.2.1]octan-2-carboxylate | | x |
| Diclazepam | | 7-chloro-5-(2-chlorophenyl)-1-methyl-1H-benzo[e][1,4]diazepin-2(3H)-one | | x |
| Diethylthiambutene | | N,N-diethyl-4,4-dithien-2-ylbut-3-en-2-amine | N I | |
| Diethyltryptamine | DET, N,N-diethyltryptamine | N,N-diethyl-2-(1H-indol-3-yl)ethanamine | P I | x |
| Difenoxin | Motofen | 1-(3-cyano-3,3-diphenylpropyl)-4-phenylpiperidine-4-carboxylic acid | N I+III | |
| Dihydrocodeine | | 4,5-epoxy-3-methoxy-17-methylmorphinan-6-ol | N II+III | |
| Dihydroetorphine | | 7-[2-Hydroxypentan-2-yl]-6-methoxy-17-methyl-4,5-epoxy-6,14-ethanonmorphinan-3-ol | N I | x |
| Dihydromorphine | Paramorfan, Paramorphan | 3,6-dihydroxy-4,5-epoxy-17-methylmorphinan | N I | x |
| Dimenoxadol | Dimenoxadole | 2-(dimethylamino)ethyl 2-ethoxy-2,2-diphenylacetate | N I | |

| | | | | |
|----------------------|--|--|---------|---|
| Dimepheptanol | Methadol, Racemethadol | 6-dimethylamino-4,4-diphenylheptan-3-ol | N I | |
| Dimethocaine | | [3-(diethylamino)-2,2-dimethylpropyl]4-aminobenzoate | | x |
| Dimethoxyamphetamine | DMA | 1-(2,3-dimethoxyphenyl)propan-2-amine | P I | x |
| Dimethylheptylpyran | DMHP | 6,6,9-trimethyl-3-(3-methyloctan-2-yl)-7,8,9,10tetrahydrobenzo[c]chromen-1-ol | P I | x |
| Dimethylone | β -keto-3,4-metylendioksydimethylamfetamin, bk-MDDMA | 1-(1,3-benzodioxol-5-yl)-2-(dimethylamino)propan-1-one | | x |
| Dimethylthiambutene | DMTB | <i>N,N</i> -dimethyl-4,4-dithien-2-ylbut-3-en-2-amine | N I | |
| Dimethyltryptamine | DMT, dimethyltryptamine | <i>N,N</i> -2-(1 <i>H</i> -indol-3-yl)- <i>N,N</i> -dimethylethanamine | P I | x |
| Dioxaphetyl butyrate | | ethyl 4-morpholin-4-yl-2,2-diphenylbutanoate | N I | |
| Dipentylon | | 1-(1,3-benzodioxol-5-yl)-2-(dimethylamino)pentan-1-one | | x |
| Diphenidine | difenidin | 1-(1,2-diphenylethyl)piperidine | | x |
| Diphenoxylate | | ethyl 1-(3-cyano-3,3-diphenylpropyl)-4-phenylpiperidine-4-carboxylate | N I+III | x |
| Dipipanone | | 4,4-diphenyl-6-(piperidin-1-yl)heptan-3-one | N I | |
| Dipropyltryptamine | DPT, dimethylpropyltryptamine | <i>N,N</i> - <i>N</i> -[2-(1 <i>H</i> -indol-3-yl)ethyl]- <i>N</i> -propylpropan-1-amine | | x |
| DiPT | <i>N,N</i> -diisopropyltryptamine | <i>N</i> -[2-(1 <i>H</i> -indol-3-yl)ethyl]- <i>N</i> -propan-2-ylpropan-2-amine | | x |
| DL-4662 | | 1-(3,4-dimethoxyphenyl)-2-(ethylamino)pentan-1-one | | x |
| DOPR | | 2,5-dimethoxy-4-propylamphetamine | | x |
| DOT | | 2,5-dimethoxy-4-methylthioamphetamine | | x |
| Dronabinol | ($-$)-trans- Δ^9 -tetrahydrocannabinol stereoisomerar | og 6,6,9-trimethyl-3-pentyl-6a,7,8,10atetrahydrobenzo[c]chromen-1-ol | P II | x |
| Drotebanol | Oxymethebanol | 3,4-dimethoxy-17-methylmorphinan-6,14-diol | N I | |
| EAM-2201 | | (4-ethylnaphthalen-1-yl)-[1-(5-fluoropentyl)indol-3-yl]methanone | | x |
| Egonine | Ásamt estum og afbrigðum þeirra sem hægt er að breyta í egconin eða kókaín, þ.m.t. benozyl-, ethyl- og methyl-egconine | 3-hydroxy-8-methyl-8-azabicyclo[3.2.1]octane-4-carboxylic acid | N I | x |
| Eflea | | N-[1-(2,3-dihydro-1,4-benzodioxin-6-yl)propan-2-yl]-N-methylhydroxylamine | | x |
| Ephenidine | | N-ethyl-1,2-diphenylethylamine | | x |

| | | | | |
|------------------------|---|---|----------|---|
| Escaline | 3,5-dimethoxy-4-ethoxyphenylethylamine | 2-(4-ethoxy-3,5-dimethoxyphenyl)ethanamine | | x |
| Estazolam | | 8-chloro-6-phenyl-4 <i>H</i> -[1,2,4]triazolo[4,3a][1,4]benzodiazepine | P IV | |
| Etaqualone | | 3-(2-ethylphenyl)-2-methylquinazolin-4(3 <i>H</i>)-one | | x |
| Etazene | Etodesnitazene | 2-[2-[(4-ethoxyphenyl)methyl]benzimidazol-1-yl]-N,N-diethylethanamine | N I | x |
| Ethcathinone | N-ethylaminopropiophenone, ethylcathinone | N-2-ethylamino-1-phenylpropan-1-one | | x |
| Ethchlorvynol | | 1-chloro-3-ethylpent-1-en-4-yn-3-ol | P IV | |
| Ethinamate | | 1-ethynylcyclohexyl carbamate | P IV | |
| ETH-LAD | | N,N,6-triethyl-9,10-didehydroergoline-8-carboxamide | | x |
| Ethyl loflazepate | | ethyl 7-chloro-5-(2-fluorophenyl)-2,3-dihydro-2-oxo-1 <i>H</i> -1,4-benzodiazepine-3-carboxylate | P IV | |
| Ethylamphetamine | Etilamphetamine, ethylamphetamine | N-ethyl-1-phenylpropan-2-amine | P IV | x |
| ethyleneoxynitazene | | 2-(2-((2,3-dihydrobenzofuran-5-yl)methyl)-5-nitro-1 <i>H</i> -benzo[d]imidazol-1-yl)-N,N-diethylethan-1-amine | | x |
| Ethylmethylthiambutene | Emethibutin | N-ethyl-N-methyl-4,4-dithien-2-ylbut-3-en-2-amine | N I | |
| Ethylmorphine | Dionine, Codethyline | 7,8-didehydro-4,5-epoxy-3-ethoxy-17-methylmorphinan-6-ol | N II+III | x |
| Etylon | etylon, ethylone | 1-(benzo[d][1,3]dioxol-5-yl)-2-(ethylamino)propan-1-on | P II | |
| Ethylphenidate | | ethyl 2-phenyl-2-piperidin-2-ylacetate | P II | |
| Etycyclidine | PCE | N-ethyl-1-phenylcyclohexan-1-amine | P I | x |
| Etizolam | | 4-(2-chlorophenyl)-2-ethyl-9-methyl-6 <i>H</i> -thieno[3,2 <i>f</i>][1,2,4]triazolo[4,3-a][1,4]diazepine | | x |
| Etonitazene | | 2-[2-[(4-ethoxyphenyl)methyl]-5-nitrobenzimidazol-1-yl]-N,N-diethylethanamine | N I | |
| Etonitazepyne | | 2-[(4-ethoxyphenyl)methyl]-5-nitro-1-(2-pyrrolidin-1-ylethyl)benzimidazole | N I | x |
| Etorphine | M99 | 7-[2-Hydroxypentan-2-yl]-6-methoxy-17-methyl-4,5-epoxy-6,14-ethenomorphinan-3-ol | N I+IV | x |
| Etoxeridine | Carbetidine | ethyl 1-[2-(2-hydroxyethoxy)ethyl]-4-phenylpiperidine-4-carboxylate | N I | |
| Etryptamine | α-Ethyltryptamine, α-ET | 1-(1 <i>H</i> -indol-3-yl)butan-2-amine | P I | x |
| Eutylone | | 1-(1,3-benzodioxol-5-yl)-2-(ethylamino)-1-butane | | x |

| | | | | |
|---------------------------|---|--|-------|---|
| Fencamfamine | | <i>N</i> -ethyl-2-phenylbicyclo[2.2.1]heptan-3-amine | P IV | |
| Fenethylline | Phenethyllyline | 1,3-dimethyl-7-[2-(1-phenylpropan-2-ylamino)ethyl]purine-2,6-dione | P II | x |
| Fenfluramine | 3-trifluoromethyl- <i>N</i> -ethylamphetamine | <i>N</i> -ethyl-1-[3-(trifluoromethyl)phenyl]propan-2-amine | | x |
| Fenproporex | | 3-(1-phenylpropan-2-ylamino)propanenitrile | P IV | |
| Fentanyl | Fentanil | <i>N</i> -phenyl- <i>N</i> -(1-(2-phenylethyl)piperidin-4-yl)propanamide | N I | |
| Flephedrone | FMC 4-fluoromethcathinone, 4- | 1-(4-fluorophenyl)-2-(methylamino)propan-1-one | | x |
| Flualprazolam | | 6-(2-fluorophenyl)-8-chloro-1-methyl-4H-[1,2,4]triazolo[4,3-a][1,4]benzodiazepine | | x |
| Flubromazepam | | 7-bromo-5-(2-fluorophenyl)-1 <i>H</i> -benzo[e][1,4]diazepin-2(3 <i>H</i>)-one | | x |
| Flubromazolam | | 8-bromo-6-(2-fluorophenyl)-1-methyl-4 <i>H</i> -benzo[f][1,2,4]triazolo[4,3-a][1,4]diazepine | | x |
| Fludiazepam | | 7-chloro-5-(2-fluorophenyl)-1,3-dihydro-1-methyl-2 <i>H</i> -1,4-benzodiazepin-2-one | P IV | x |
| Flunitazene | | <i>N,N</i> -diethyl-2-(2-(4-fluorobenzyl)-5-nitro-1 <i>H</i> -benzimidazol-1-yl)ethan-1-amine | | x |
| Flunitrazepam | Rohypnol, Rohipnol | 5-(2-fluorophenyl)-1-methyl-7-nitro-3 <i>H</i> -1,4-benzodiazepin-2-one | P III | x |
| Fluorobutyrylfentanyl | | <i>N</i> -(2-fluorophenyl)- <i>N</i> -[(1-(2-phenylethyl)-4-piperidinyl)]butanamid, <i>N</i> -(3-fluorophenyl)- <i>N</i> -[(1-(2-phenylethyl)-4-piperidinyl)]butanamid, <i>N</i> -(4-fluorophenyl)- <i>N</i> -[(1-(2-phenylethyl)-4-piperidinyl)]butanamid | | x |
| Fluoro-isobutyrylfentanyl | | <i>N</i> -(2-fluorophenyl)-2-methyl- <i>N</i> -(1-(2-phenylethyl)piperidin-4-yl)propanamid, <i>N</i> -(3-fluorophenyl)-2-methyl- <i>N</i> -(1-(2-phenylethyl)piperidin-4-yl)propanamid, <i>N</i> -(4-fluorophenyl)-2-methyl- <i>N</i> -(1-(2-phenylethyl)piperidin-4-yl)propanamid | NI | x |
| Flurazepam | | 7-chloro-1-[2-(diethylamino)ethyl]-5-(2-fluorophenyl)-1,3dihydro-2 <i>H</i> -1,4-benzodiazepin-2-one | P IV | x |

| | | | | |
|-----------------------------|---|--|--------|---|
| FUB-144 | | (1-(4-fluorobenzyl)-1H-indol-3-yl) (2,2,3,3-tetramethylcyclopropyl)methanone | | x |
| Furanylethylfentanyl | | N-[1-[2-(2-furanyl)ethyl]piperidin-4-yl]-N-phenyl-propanamide | | x |
| Furanyl fentanyl | | N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]-furan-2-carboxamide | N I | x |
| Furethidine | | ethyl 1-[2-(oxolan-2-ylmethoxy)ethyl]-4-phenylpiperidine-4-carboxylate | N I | |
| Gamma-Butyrolactone | GBL, 4-butyrolactone | oxolan-2-one | | x |
| Gamma-hydroxybutyrate | GHB, Sodium Oxypate | 4-hydroxybutanoate | | x |
| Gamma-hydroxybutyric acid | GHB, smjörsýra | 4-hydroxybutanoic acid | P IV | x |
| Glutethimide | | 3-ethyl-3-phenylpiperidine-2,6-dione | P III | |
| Halazepam | | 7-chloro-1,3-dihydro-5-phenyl-1-(2,2,2-trifluoroethyl)-2H-1,4-benzodiazepin-2-one | P IV | x |
| Haloxazolam | | 10-bromo-11b-(2-fluorophenyl)-2,3,5,7-tetrahydro-[1,3]oxazolo[3,2-d][1,4]benzodiazepin-6-one | P IV | x |
| Heptabarbital | Heptabarbitone, Heptabarb | 5-(1-cyclohepten-1-yl)-5-ethyl-1,3-diazinane-2,4,6-trione | | x |
| Heroin | Diacetylmorphine, Morphine diacetate, Diamorphine | 3-acetoxy-7,8-didehydro-4,5-epoxy-17-methylmorphinan-6-yl acetate | N I+IV | x |
| Hexahydrocannabinol | HHC | 6,6,9-trimethyl-3-pentyl-6a,7,8,9,10,10a-hexahydrobenzo[c]chromen-1-ol | | x |
| Hexahydrocannabinol acetate | HHC-O | 6,6,9-trimethyl-3-pentyl-6a,7,8,9,10,10a-hexahydro-6H-benzo[c]chromen-1-yl acetate | | x |
| Hexahydrocannabiphorol | HHC-P | (3-heptyl-6a,7,8,9,10,10a-hexahydro-6,6,9-trimethyl-6H-dibenzo[b,d]pyran-1-ol | | x |
| Hexapropymate | | 1-(prop-2-ynyl)cyclohexyl carbamate | | x |
| Hexedrone | | 2-methylamino-1-phenylhexan-1-one | | x |
| Hexobarbital | Hexobarbitone | 5-(1-cyclohexen-1-yl)-1,5-dimethyl-1,3-diazinane-2,4,6trione | | x |
| HU-210 | 11-Hydroxy- Δ -8-THC-DMH | 9-(hydroxymethyl)-6,6-dimethyl-3-(2-methyloctan-2-yl)-6a,7,10,10a-tetrahydro-6H-benzo[c]chromen-1-ol | | x |
| HU-308 | | 4-[4-(1,1-dimethylheptyl)-2,6-dimethoxyphenyl]-6,6-dimethyl-bicyclo[3.1.1]hept-2-ene-2-methanol | | x |
| Hydrocodone | | 4,5-epoxy-3-methoxy-17-methylmorphinan-6-one | N I | |

| | | | | |
|--|---------------------------|--|------|---|
| Hydromorphenol | 14-Hydroxydihydromorphine | 3,6,14-trihydroxy-4,5-epoxy-17-methylmorphinan | N I | |
| Hydromorphone | Dihydromorphinone | 4,5-epoxy-3-hydroxy-17-methylmorphinan-6-one | N I | |
| Hydroxyamphetamine | 4-hydroxyamphetamine | 4-(2-aminopropyl)phenol | | x |
| Hydroxypethidine | Bemidone | ethyl 4-(3-hydroxyphenyl)-1-methylpiperidine-4-carboxylate | N I | x |
| I-AMB | | methyl-2-[(1-(5-fluoropentyl)-1H-indol-3-yl]carboxamido)-3-methylbutanoate | | x |
| Iboga | <i>Tabernanthe iboga</i> | | | x |
| Ibogaine | | 12-methoxyibogamine | | x |
| Isobutyl nitrite | | 2-methylpropyl nitrite | | x |
| Isomethadone | Isoamidone | 6-(dimethylamino)-5-methyl-4,4-diphenylhexan-3-one | N I | |
| isopropylphenidate | | Isopropyl-2-phenyl-2-(piperidin-2-yl)acetate | | x |
| Isopropyl-U-47700 | | N-[2-(dimethylamino)cyclohexyl]-3,4-dichloro-N-(propan-2-yl)benzamide | | x |
| Isotonitazene | | N,N-diethyl-2-[2-(4-isopropoxybenzyl)-5-nitro-1H-benzo[d]imidazol-1-yl]ethan-1-amine | NI | x |
| JWH-007 | | (2-methyl-1-pentyl-1H-indol-3-yl)(naphthalen-1-yl)methanone | | x |
| JWH-011 | | (1-(heptan-2-yl)-2-methyl-1H-indol-3-yl)(naphthalen-1-yl)methanone | | x |
| JWH-015 | | (2-methyl-1-propyl-1H-indol-3-yl)(naphthalen-1-yl)methanone | | x |
| JWH-016 | | (1-butyl-2-methyl-1H-indol-3-yl)(naphthalen-1-yl)methanone | | x |
| JWH-018 | AM-678 | (naphthalen-1-yl)(1-pentyl-1H-indol-3-yl)methanone | P II | x |
| JWH-018, N-(5-chloropentyl) analog | | [1-(5-chloropentyl)-1H-indol-3-yl](naphthalen-1-yl)methanone | | x |
| JWH-019 | | (1-hexyl-1H-indol-3-yl)(naphthalen-1-yl)methanone | | x |
| JWH-020 | | (1-heptyl-1H-indol-3-yl)(naphthalen-1-yl)methanone | | x |
| JWH-022 | | (naphthalen-1-yl)[1-(pent-4-en-1-yl)-1H-indol-3-yl)methanone | | x |
| JWH-030 | | (naphthalen-1-yl)(1-pentyl-1H-pyrrol-3-yl)methanone | | x |
| JWH-031 | | (1-hexyl-1H-pyrrol-3-yl)(naphthalen-1-yl)methanone | | x |
| JWH-047 | | (1-butyl-2-methyl-1H-indol-3-yl)(7-methylnaphthalen-1-yl)methanone | | x |
| JWH-048 | | (2-methyl-1-pentyl-1H-indol-3-yl)(7-methylnaphthalen-1-yl)methanone | | x |

| | | | | |
|---------|--|--|--|---|
| JWH-071 | | (1-ethyl-1 <i>H</i> -indol-3-yl)(naphthalen-1-yl)methanone | | x |
| JWH-072 | | (naphthalen-1-yl)(1-propyl-1 <i>H</i> -indol-3-yl)methanone | | x |
| JWH-073 | | (1-butyl-1 <i>H</i> -indol-3-yl)(naphthalen-1-yl)methanone | | x |
| JWH-081 | | (4-methoxynaphthalen-1-yl)(1-pentyl-1 <i>H</i> -indol-3-yl)methanone | | x |
| JWH-098 | | (4-methoxynaphthalen-1-yl)(2-methyl-1-pentyl-1 <i>H</i> -indol-3-yl)methanone | | x |
| JWH-116 | | (2-ethyl-1-pentyl-1 <i>H</i> -indol-3-yl)(naphthalen-1-yl)methanone | | x |
| JWH-120 | | (4-methylnaphthalen-1-yl)(1-propyl-1 <i>H</i> -indol-3-yl)methanone | | x |
| JWH-122 | | (4-methylnaphthalen-1-yl)(1-pentyl-1 <i>H</i> -indol-3-yl)methanone | | x |
| JWH-145 | | (naphthalen-1-yl)(1-pentyl-5-phenyl-1 <i>H</i> -pyrrol-3-yl)methanone | | x |
| JWH-147 | | (1-hexyl-5-phenyl-1 <i>H</i> -pyrrol-3-yl)(naphthalen-1-yl)methanone | | x |
| JWH-148 | | (4-methylnaphthalen-1-yl)(2-methyl-1-propyl-1 <i>H</i> -indol-3-yl)methanone | | x |
| JWH-149 | | (4-methylnaphthalen-1-yl)(2-methyl-1-pentyl-1 <i>H</i> -indol-3-yl)methanone | | x |
| JWH-164 | | (7-methoxynaphthalen-1-yl)-(1-pentyl-1 <i>H</i> -indol-3-yl)methanone | | x |
| JWH-166 | | (6-methoxynaphthalen-1-yl)-(1-penty-1 <i>H</i> -lindol-3-yl)methanone | | x |
| JWH-167 | | 1-(1-pentyl-1 <i>H</i> -indol-3-yl)-2-phenylethan-1-one | | x |
| JWH-171 | | (Z)-1-((3-pentyl-1 <i>H</i> -inden-1-ylidene)methyl)naphthalen | | x |
| JWH-175 | | 3-(naphthalen-1-ylmethyl)-1-pentyl-1 <i>H</i> -indole | | x |
| JWH-176 | | (E)-1-((3-pentyl-1 <i>H</i> -inden-1-ylidene)methyl)naphthalen | | x |
| JWH-180 | | (1-propyl-1 <i>H</i> -indol-3-yl)(4-propynaphthalen-1-yl)methanone | | x |
| JWH-181 | | (2-methyl-1-pentyl-1 <i>H</i> -indol-3-yl)(4-propynaphthalen-1-yl)methanone | | x |
| JWH-182 | | (1-pentyl-1 <i>H</i> -indol-3-yl)(4-propynaphthalen-1-yl)methanone | | x |
| JWH-184 | | 3-((4-methylnaphthalen-1-yl)methyl)-1-pentyl-1 <i>H</i> -indole | | x |
| JWH-185 | | 3-((4-methoxynaphthalen-1-yl)methyl)-1-pentyl-1 <i>H</i> -indole | | x |
| JWH-192 | | 4-(2-((4-methylnaphthalen-1-yl)methyl)-1 <i>H</i> -indol-1-yl)ethyl)morpholine | | x |
| JWH-193 | | (4-methylnaphthalen-1-yl)(1-(2-morpholinoethyl)-1 <i>H</i> -indol-3-yl)methanone | | x |

| | | | | |
|----------------------------------|---|--|--|---|
| JWH-194 | | 2-methyl-3-((4-methylnaphthalen-1-yl)methyl)-1-pentyl-1 <i>H</i> -indole | | x |
| JWH-195 | | 4-(2-(3-(naphthalen-1-ylmethyl)-1 <i>H</i> -indol-1-yl)ethyl)morpholine | | x |
| JWH-196 | | 2-methyl-3-(naphthalen-1-ylmethyl)-1-pentyl-1 <i>H</i> -indole | | x |
| JWH-197 | | 3-((4-methoxynaphthalen-1-yl)methyl)-2-methyl-1-pentyl-1 <i>H</i> -indole | | x |
| JWH-198 | | (4-methoxynaphthalen-1-yl)(1-(2-morpholinoethyl)-1 <i>H</i> -indol-3-yl)methanone | | x |
| JWH-199 | | 4-(2-(3-((4-methoxynaphthalen-1-yl)methyl)-1 <i>H</i> -indol-1-yl)ethyl)morpholine | | x |
| JWH-200 | WIN-55,225 | [1-[2-(morpholin-4-yl)ethyl]-1 <i>H</i> -indol-3-yl](naphthalen-1-yl)methanone | | x |
| JWH-201 | | 2-(4-methoxyphenyl)-1-(1-pentyl-1 <i>H</i> -indol-3-yl)ethan-1-one | | x |
| JWH-203 | | 2-(2-chlorophenyl)-1-(1-pentyl-1 <i>H</i> -indol-3-yl)ethan-1-one | | x |
| JWH-205 | | 1-(2-methyl-1-pentyl-1 <i>H</i> -indol-3-yl)-2-phenylethan-1-one | | x |
| JWH-210 | | (4-ethylnaphthalen-1-yl)(1-pentyl-1 <i>H</i> -indol-3-yl)methanone | | x |
| JWH-250 | | 2-(2-methoxyphenyl)-1-(1-pentyl-1 <i>H</i> -indol-3-yl)ethan-1-one | | x |
| JWH-251 | | 2-(2-methylphenyl)-1-(1-pentyl-1 <i>H</i> -indol-3-yl)ethan-1-one | | x |
| JWH-308 | | naphthalen-1-yl[5-(4-fluorophenyl)-1-pentyl-1 <i>H</i> -pyrrol-3-yl]methanone | | x |
| JWH-309 | | naphthalen-1-yl[5-(1-naphthalenyl)-1-pentyl-1 <i>H</i> -pyrrol-3-yl]methanone | | x |
| JWH-368 | | naphthalen-1-yl(5-(3-fluorophenyl)-1-pentyl-1 <i>H</i> -pyrrol-3-yl)methanone | | x |
| JWH-369 | | [5-(2-chlorophenyl)-1-pentyl-1 <i>H</i> -pyrrol-3-yl]-1-naphthalenyl-methanone | | x |
| JWH-398 | | (4-chloronaphthalen-1-yl)(1-pentyl-1 <i>H</i> -indol-3-yl)methanone | | x |
| Kaktusar sem innihalda mescaline | Kaktus og fræ af tegundunum <i>Echinopsis pachanoi</i> og <i>Echinopsis peruviana</i> og aðrar sem innihalda mescaline (3,4,5-trimethoxyphenethylamine) | | | x |
| Ketamine | | 2-(2-chlorophenyl)-2-(methylamino)cyclohexan-1-one | | x |

| | | | | |
|---------------------|---|--|--------|---|
| Ketazolam | | 11-chloro-8,12b-dihydro-2,8-dimethyl-12b-phenyl-6H-[1,2]oxazino[3,2-d][1,4]benzodiazepine-4,7-dione | P IV | x |
| Ketobemidone | Cliradon, Cymido, Ketorax | 1-[4-(3-hydroxyphenyl)-1-methylpiperidin-4-yl]propan-1-one | N I+IV | x |
| Khat | <i>Catha edulis</i> , Allir hlutar plöntunnar | | | x |
| Kratom | <i>Mitragyna speciosa</i> | | | x |
| Lefetamine | SPA | <i>N,N</i> -dimethyl-1,2-diphenylethanamine | P IV | x |
| Levoamphetamine | Levamfetamine, (R)-amphetamine, (-)-amphetamine | (2R)-1-phenylpropan-2-amine | P II | x |
| Levomethamphetamine | Levmetamfetamine, Lecodesoxyephedrine (l-desoxyephedrine) | (2R)-N-methyl-1-phenylpropan-2-amine | P II | x |
| Levomethorphan | | (1R,9R,10R)-4-methoxy-17-methyl-17-azatetracyclo[7.5.3.0 ^{1,10} .0 ^{2,9}]heptadeca-2,4,6-triene | N I | |
| Levomoramide | | (3R)-3-methyl-4-morpholin-4-yl-2,2-diphenyl-1-pyrrolidin-1-ylbutan-1-one | N I | |
| Levonantradol | CP 50,556-1 | 9-hydroxy-6-methyl-3-[5-phenylpentan-2-yl]oxy-5,6,6a,7,8,9,10,10a-octahydrophenanthridin-1-yl acetate | | x |
| Levophenacylmorphan | Benzorphanol | 2-(3-Hydroxymorphinan-17-yl)-1-phenylethanone | N I | |
| Levorphanol | | | N I | |
| Lisdexamfetamine | | 2,6-diamino-N-(1-phenylpropan-2-yl)hexanamide | | x |
| Lofentanil | | methyl (3S,4R)-3-methyl-1-(2-phenylethyl)-4-[phenyl(propionyl)amino]piperidin-4-carboxylat | | x |
| Loprazolam | Triazulenone, Loprazolam mesylate | 6-(2-chlorophenyl)-2,4-dihydro-2-[(4-methyl-1piperazinyl)methylene]-8-nitro-1 <i>H</i> -imidazo[1,2a][1,4]benzodiazepine-1-one | P IV | x |
| Lorazepam | | 7-chloro-5-(2-chlorophenyl)-1,3-dihydro-3-hydroxy-2 <i>H</i> -1,4-benzodiazepin-2-one | P IV | x |
| Lormetazepam | methyl-lorazepam | 7-chloro-5-(2-chlorophenyl)-1,3-dihydro-3-hydroxy-1-methyl-2 <i>H</i> -1,4-benzodiazepin-2-one | P IV | x |
| LSZ | | 8b-(2,4-dimethylazetidin-1-yl)carbonyl-9,10-didehydro-6-methylergoline | | x |

| | | | | | |
|------------------------------------|---|------------------------|---|------|---|
| Lysergic Diethylamide | Acid | Lysergide, LSD, LSD-25 | <i>N,N</i> -diethyl-7-methyl-6,6a,8,9-tetrahydro-4H-indolo[4,3-fg]quinoline-9-carboxamide | P I | x |
| MAM-2201 | | | (1-(5-fluoropentyl)-1 <i>H</i> -indol-3-yl)(4-methyl-1-naphthalen-1-yl)methanone | | x |
| MAM-2201 klór analog | | | (1-(5-chloropentyl)-1 <i>H</i> -indol-3-yl)(4-methylnaphthalen-1-yl)methanone | | x |
| MAM-2201 N-(3-fluoropentyl) analog | | | (1-(3-fluoropentyl)-1 <i>H</i> -indol-3-yl)(4-methylnaphthalen-1-yl)methanone | | x |
| Mazindol | Mazanor, Sanorex | | 5-(4-chlorophenyl)-2,3-dihydroimidazo[1,2-b]isoindol-5-ol | P IV | x |
| MDAI | 5,6-methylenedioxy-2-aminoindane | | (6,7-dihydro-5 <i>H</i> -cyclopenta[f] [1,3]benzodioxol-6-amine) | | x |
| MDMA | 3,4-methylenedioxy- <i>N</i> -methylamphetamine, "extacy", "alsæla", Molly" | | 1-(1,3-benzodioxol-5-yl)- <i>N</i> -methylpropan-2-amine | P I | x |
| MDMB-4en-PINACA | | | methyl-3,3-dimethyl-2-[1-(pent-4-en-1-yl)-1 <i>H</i> -indazol-3- carboxamido]butanoate | | x |
| MDMB-CHMICA | | | (methyl-2-(1-(cyclohexylmethyl)-1 <i>H</i> -indol-3-carboxamido)-3,3-dimethylbutanoat) | PII | x |
| MDMB-CHMINACA | | | methyl-2-[(1-(cyclohexylmethyl)-1 <i>H</i> -indazol-3-carbonyl]amino)-3,3-dimethylbutanoate | | x |
| MDPBP | | | 1-(1,3-benzodioxol-5-yl)-2-(pyrrolidin-1-yl)butan-1-one | | x |
| MDPHP | | | 1-(1,3-benzodioxol-5-yl)-2-(pyrrolidin-1-yl)hexan-1-one | | x |
| Meclonazepam | | | 5-(2-chlorophenyl)-3-methyl-7-nitro-1,3-dihydro-2 <i>H</i> -[1,4]-benzodiazepin-2-one | | x |
| Mecloqualone | Nubarene, Casfen | | 3-(2-chlorophenyl)-2-methylquinazolin-4-one | PII | x |
| Medazepam | | | 7-Chloro-2,3-dihydro-1-methyl-5-phenyl-1 <i>H</i> -1,4-benzodiazepine | P IV | x |
| Mefenorex | | | <i>N</i> -(3-chloropropyl)-1-phenylpropan-2-amine | P IV | |
| MeO-diphenidine | | | 1-(1-(2-methoxyphenyl)-2-phenylethyl)piperidine, 1-(1-(3-methoxyphenyl)-2-phenylethyl)piperidine, 1-(1-(4-methoxyphenyl)-2-phenylethyl)piperidine | | x |
| MeO-PCP | | | 1-(1-(2-methoxyphenyl)cyclohexyl)piperidine, 1-(1-(3-methoxyphenyl)cyclohexyl)piperidine, 1-(1-(4-methoxyphenyl)cyclohexyl)piperidine | | x |

| | | | | |
|-------------------------------------|--|--|------|---|
| Mephedrone | 4-methylmethcathinone, 4-MMC, 4-methylphedrone | 2-(methylamino)-1-(4-methylphenyl)propan-1-one | P II | x |
| Meprobamate | | 2-(carbamoyloxyethyl)-2-methylpentyl carbamate | P IV | |
| Mescaline | 3,4,5-trimethoxyphenethylamine | 2-(3,4,5-trimethoxyphenyl)ethanamine | P I | x |
| Mesocarb | Sidnocab, Sydnocab | N-phenyl-N'-[3-(1-phenylpropan-2-yl)oxadiazol-3-iun-5-yl]carbamimidate | P IV | |
| MET | | N-methyl-N-ethyltryptamine | | x |
| <i>meta</i> -chlorophenylpiperazine | mCPP | 1-(3-chlorophenyl)piperazine | | x |
| Metamfepramone | Dimepropion | 2-dimethylamino-1-phenylpropan-1-one | | x |
| Metazocine | Methobenzmorphan | 1,2,3,4,5,6-hexahydro-3,6,11-trimethyl-2,6-methano-3-benzazocin-8-ol | N I | |
| Methacrylfentanyl | | N-(1-phenethylpiperidin-4-yl)-N-phenylmethacrylamide | | x |
| Methadone | Dolophine, Amidone, Physeptone | 6-dimethylamino-4,4-diphenylheptan-3-one | N I | x |
| Methadone intermediate | Premethadone | 4-dimethylamino-2,2-diphenylpentanenitrile | N I | x |
| Methallyescaline | MAL | 2-[3,5-dimethoxy-4-(2-methylprop-2-enoxy)phenyl]ethanamine | | x |
| Methamnetamine | | N-methyl-1-(naphthalen-2-yl)propan-2-amine | | x |
| Methamphetamine | N-methylamphetamine, Pervertine, "Meth", N-methyl-alpha-methylphenethylamine | N-methyl-1-phenylpropan-2-amine | P II | x |
| Methamphetamine racemate | Methamphetamine racemate | methyl[(2RS)-1-phenylpropan-2-yl]amine | P II | x |
| Methaqualone | Metolquizolone | 2-methyl-3-(2-methylphenyl)quinazolin-4-one | P II | x |
| Metharbital | Endiemal | 5,5-diethyl-1-methyl-1,3-diazinane-2,4,6-trione | | x |
| Methcathinone | Ephedrone, methylaminopropiophenone | α -2-(methylamino)-1-phenylpropan-1-one | P I | x |
| Methedrone | Para-methoxymethcathinone, PMMA, PMMC | bk-1-(4-methoxyphenyl)-2-(methylamino)propan-1-one | | x |
| Methiopropamine | MPA | N-methyl-1-(thiophen-2-yl)propan-2-amine | P II | |
| Methohexital | Methohexitone | 5-(hex-3-yn-2-yl)-1-methyl-5-(prop-2-en-1-yl)-1,3-diazinane-2,4,6-trione | | x |
| Methoxetamine | MXE, 3-MeO-2-Oxo-PCE | 2-(3-methoxyphenyl)-2-(ethylamino)cyclohexanone | | x |

| | | | | |
|----------------------------|--|--|------|---|
| Methoxyacetylentanyl | | 2-methoxy-N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]acetamide | N I | |
| Methoxybutyrylfentanyl | | N-(2-methoxyphenyl)-N-[1-(2-phenylethyl)piperidin-4-yl]butanamid, N-(3-methoxyphenyl)-N-[1-(2-phenylethyl)piperidin-4-yl]butanamid, N-(4-methoxyphenyl)-N-[1-(2-phenylethyl)piperidin-4-yl]butanamid | | x |
| Methylclonazepam | | 5-(2-chlorophenyl)-1-methyl-7-nitro-1,3-dihydro-2H-1,4-benzodiazepin-2-one | | x |
| Methyldesorphine | | 6,17-dimethyl-6,7-didehydro-4,5-epoxymorphinan-3-ol | N I | |
| Methyldihydromorphone | Dihydroheterocodeine | 6-Methoxy-17-methyl-4,5-epoxymorphinan-3-ol | N I | |
| methylene dioxy nitazene | | 2-(2-((1,3-Benzodioxol-5-yl)methyl)-5-nitro-1H-benzo[d]imidazol-1-yl)-N,N-diethylethan-1-amine | | x |
| Methylenedioxypyrovalerone | MDPV | 1-(1,3-benzodioxol-5-yl)-2-(pyrrolidin-1-yl)pentan-1-one | P II | x |
| Methylnaphthidate | HDMP-28 | methyl-naphthalen-2-yl(piperidin-2-yl)acetate | | x |
| Methylone | β -keto-3,4-methylenedioxymethamphetamine, bk-MDMA | 1-(1,3-benzodioxol-5-yl)-2-(methylamino)propan-1-one | P II | x |
| Methylpentynol | | 3-methylpent-1-yn-3-ol | | x |
| Methylphenidate | Phendylate | methyl 2-phenyl-2-(piperidin-2-yl)acetate | P II | x |
| Methylphenobarbital | Mephobarbital, Mephobarbitone | 5-ethyl-1-methyl-5-phenyl-1,3-diazinane-2,4,6-trione | P IV | x |
| Methyprylon | | 3,3-diethyl-5-methylpiperidine-2,4-dione | P IV | |
| Metizolam | | 4-(2-chlorophenyl)-2-ethyl-6H-thieno[3,2-f][1,2,4]triazolo[4,3-a][1,4]diazepine | | x |
| Metodesnitazene | metazene | <i>N,N</i> -diethyl-2-(2-(4-methoxybenzyl)-1H-benzimidazol-1-yl)ethan-1-amine | | x |
| Metopon | 5-methyldihydromorphone | 4,5-epoxy-3-hydroxy-5,17-dimethylmorphinan-6-one | N I | |
| Metonitazene | | N,N-diethyl-2-(2-(4-methoxybenzyl)-5-nitro-1H-benzo[d]imidazol-1-yl)ethan-1-amine | N I | x |
| Metoxisopropamine | MXiPr | 2-(isopropylamino)-2-(3-methoxyphenyl)cyclohexanone | | x |
| Metoxpropamine | MXPr | 2-(3-methoxyphenyl)-2-(propylamino)cyclohexan-1-one | | x |
| MFPVP | 3-Me-4F-PVP | 1-(4-fluoro-3-methylphenyl)-2-(pyrrolidin-1-yl)pentan-1-one | | x |

| | | | | |
|---------------------------|---|---|------|---|
| Midazolam | | 8-Chloro-6-(2-fluorophenyl)-1-methyl-4H-imidazo[1,5-a][1,4]benzodiazepine | P IV | x |
| MIPT | | N-[2-(1H-indol-3-yl)ethyl]-N-methylpropan-2-amine | | x |
| Mitragynine | | Methyl (E)-2-(3-ethyl-8-methoxy-1,2,3,4,6,7,12,12b-octa-hydroindolo[2,3-a]quinolizin-2-yl)-3-methoxyprop-2-enoate | | x |
| MMB-022 | AMB-4en-PICA | methyl-3-methyl-2-[1-(pent-4-en-1-yl)-1H-indol-3-carboxamido]butanoate | | x |
| MMB-CHMICA | AMB-CHMICA | methyl-2-[1-(cyclohexylmethyl)-1H-indol-3-carboxamido]-3-methylbutanoate | | x |
| MMB-FUBICA | AMB-FUBICA, FUB-AMB | methyl-2-[1-(4-fluorobenzyl)-1H-indol-3-carboxamido]-3-methylbutanoate | P II | x |
| MMDA | 3-methoxy-4,5-methylenedioxymphetamine, 3-methoxy-MDA | 1-(7-methoxy-1,3-benzodioxol-5-yl)propan-2-amine | P I | x |
| MMDA-2 | 6-metoxy-MDA | 6-methoxy-3,4-methylenedioxyamphetamine | | x |
| Modafinil | | 2-[(diphenylmethyl)sulfinyl]acetamide | | x |
| MOPPP* | | 4'-methoxy- α -pyrrolidinopropiophenone | | x |
| Moramide-intermediate | | 3-methyl-4-(morpholin-4-yl)-2,2-diphenylbutanoic acid | N I | |
| Morpheridine | e Morpholinoethylnorpethidin | ethyl 1-[(2-morpholin-4-yl)ethyl]-4-phenylpiperidine-4-carboxylate | N I | |
| Morphine | | 7,8-didehydro-4,5-epoxy-17-methylmorphinan-3,6-diol | N I | x |
| Morphine methylbromide | Morphine methobromide, Morphosan og önnur morfínúrefni með 5-gildu köfnunarefni | 3,6-dihydroxy-17,17-dimethyl-7,8-didehydro-4,5-epoxymorphinan-17-iium bromide | N I | x |
| Morphine- <i>N</i> -oxide | Genomorphine | 7,8-didehydro-4,5-epoxy-17-methylmorphinan-3,6-diol 17-oxide | N I | x |
| MPHP* | | 4-methylphenylpyrrolidinylhexanone | | x |
| MPhP-2201 | | methyl-3-phenyl-2-[1-(5-fluoropentyl)-1H-indol-3-carboxamido]propanoate | | x |
| MT-45 | | 1-cyclohexyl-4-(1,2-diphenylethyl)-piperazin | N I | x |
| Myrophine | Myristylbenzylmorphine | 7,8-didehydro-4,5-epoxy-17-methyl-3-(phenylmethoxy)-morphinan-6-yl tetradecanoate | N I | |
| N,N-dimethylpentylon | | 1-(1,3-benzodioxol-5-yl)-2-(dimethylamino)-1-pentanone | | x |

| | | | | |
|------------------------------|----------------------------------|---|----------|---|
| Nabilone | | 1-hydroxy-6,6-dimethyl-3-(2-methyl-2-octanyl)-6,6a,7,8,10a-hexahydro-9H-benzo[c]chromen-9-one | | x |
| <i>N</i> -acetylmescaline | | <i>N</i> -[2-(3,4,5-trimethoxyphenyl)ethyl]acetamide | | x |
| Naphyrone | Naphthylpyrovalerone | 1-naphthalen-2-yl-2-pyrrolidin-1-ylpentan-1-one | | x |
| N-Desethyl isotonitazene | | N-ethyl-2-[2-[(4-isopropoxypyhenyl)methyl]-5-nitrobenzimidazol-1-yl]ethanamine | | x |
| n-desethylprotonitazene | | N-ethyl-2-(5-nitro-2-(4-propoxypybenyl)-1H-benzo[d]imidazol-1-yl)ethan-1-amine | | x |
| N-desetylisonitazen | | N-ethyl-2-[2-[(4-isopropoxypyhenyl)methyl]-5-nitrobenzimidazol-1-yl]ethanamine | | x |
| <i>N</i> -ethylbuphedrone | NEB | 2-(ethylamino)-1-phenylbutan-1-one | | x |
| <i>N</i> -ethyl-heptedrone | | 2-(ethylamino)-1-phenylheptan-1-one | | x |
| <i>N</i> -ethylhexedrone | NEH | 2-(ethylamino)-1-phenyl-hexan-1-one | | x |
| <i>N</i> -ethylisohexedrone | | 2-(ethylamino)-4-methyl-1-phenylpentan-1-one | | x |
| <i>N</i> -ethylnorketamine | | 2-(ethylamino)-2-(2-chlorophenyl)cyclohexan-1-one | | x |
| <i>N</i> -ethylnorpentyalone | Efylon, ephylone | 1-(1,3-benzodioxol-5-yl)-2-(ethylamino)-1-pantanone | P II | |
| <i>N</i> -ethyl-pentedron | NEP | 2-(ethylamino)-1-phenyl-pantan-1-one | | x |
| <i>N</i> -hydroxyamphetamine | | <i>N</i> -(1-phenylpropan-2-yl)hydroxylamine | | x |
| <i>N</i> -hydroxy-MDA | N-OH-MDA | <i>N</i> -hydroxy- α -methyl-1,3-benzodioxole-5-ethanamine | | x |
| Nicocodine | Lyopect, Nicocodeine | 3-methoxy-17-methyl-7,8-didehydro-4,5-epoxymorphinan-6-yl nicotinate | N II+III | |
| Nicodicodine | Nicodicodeine | 3-methoxy-17-methyl-4,5-epoxymorphinan-6-yl nicotinate | N II+III | |
| Nicomorphine | | 7,8-didehydro-4,5-epoxymorphinan-17-methyl-3-nicotinoyloxy-6-yl nicotinate | N I | |
| Nifoxipam | 3-hydroxydesmethyl-flunitrazepam | 5-(2-fluorophenyl)-3-hydroxy-7-nitro-1H-benzo[e][1,4]diazepin-2(3H)-one | | x |
| Nimetazepam | | 1,3-dihydro-1-methyl-7-nitro-5-phenyl-2H-1,4benzodiazepin-2-one | P IV | x |
| Nitrazepam | | 7-nitro-5-phenyl-1,3-dihydro-1,4-benzodiazepin-2-one | P IV | x |
| Nitrazolam | | 6-phenyl-1-methyl-8-nitro-4H-[1,2,4]triazolo[4,3-a][1,4]benzodiazepine | | x |
| NM-2201 | | naphthalen-1-yl-1-(5-fluoropentyl)-1H-indol-3-carboxylate | | x |

| | | | | |
|-----------------------------|---|---|----------|---|
| N-Methyl-2-AI | N-methyl-2AI, N-methyl-2-aminoindane | N-methyl-2,3-dihydro-1H-inden-2-amine | | x |
| N-methylmescaline | | N-methyl-2-(3,4,5-trimethoxyphenyl)ethanamine | | x |
| Noracymethadol | | 6-(methylamino)-4,4-diphenylheptan-3-yl acetate | N I | |
| Norcodeine | | 7,8-didehydro-4,5-epoxy-3-methoxymorphinan-6-ol | N II+III | |
| Nordazepam | Desoxydemoxepam, Nordiazepam, Desmethyldiazepam | 7-chloro-1,3-dihydro-5-phenyl-2H-1,4-benzodiazepin-2-one | P IV | x |
| Norfentanyl | | N-phenyl-N-(piperidin-4-yl)propionamide | | x |
| Norfludiazepam | | 5-(2-fluorophenyl)-7-chloro-1,3-dihydro-2H-1,4-benzodiazepin-2-one | | x |
| Norlevorphanol | | morphinan-3-ol | N I | |
| Normethadone | Desmethylmethadone, Phenylidimazone | 6-(dimethylamino)-4,4-diphenylhexan-3-one | N I | |
| Normorphine | Desmethylmorphine | 7,8-didehydro-4,5-epoxy-morphinan-3,6-diol | N I | x |
| Norpipanone | | 4,4-diphenyl-6-(piperidin-1-yl)hexan-3-one | N I | |
| N-Piperidinyl etonitazene | etonitazepine | 2-(4-ethoxybenzyl)-5-nitro-1-(2-(pyrrolidin-1-yl)ethyl)-1 H -benzimidazole | | x |
| N-Propylnorpentedrone | | 1-phenyl-2-(propylamino)pentan-1-one | | x |
| n-pyrrolidino protonitazene | | 5-nitro-2-[(4-propoxyphenyl)methyl]-1-(2-pyrrolidin-1-ylethyl)benzimidazole | | x |
| Ocfentanil | ocfentanyl | N-(2-fluorophenyl)-2-methoxy-N-(1-phenethylpiperidin-4-yl)acetamide | N I | |
| O-Desmethyltramadol | O-DSMT, demethyltramadol | O-[2-[(dimethylamino)methyl]-1-hydroxycyclohexyl]phenol | | x |
| Ohmefentanyl | β-hydroxy-3-methylfentanyl, OMF | N-[1-[2-hydroxy-2-phenylethyl]-3-methylpiperidin-4-yl]-N-phenylpropanamide | N I+IV | x |
| Opium | P.e. hverslags vara úr hrá-ópíum sem unnin er með ýmsum framleiðslaðferðum, svo sem upplausn, suður, ristun og gerjun í þeim tilgangi að umbreyta þykkni og gera það hæft til neyslu. Einnig leyfar sem verða eftir við reykingu á ópíum. | | N I+III | x |
| Oripavine | 3-O-demethyl-thebaine | 6,7,8,14-tetrahydro-4,5-epoxy-6-methoxy-17-methylmorphinan-3-ol | N I | |
| Ortetamine | 2-methylamphetamine | 1-(2-methylphenyl)propan-2-amine | | x |

| | | | | |
|------------------------------|--|--|--------|---|
| Orthoflurorofentanyl | 2-fluorofentanyl | N-[1-(2-phenylethyl)piperidin-4-yl]-N-(2-fluorophenyl)propanamide | N I | |
| Oxazepam | | 7-chloro-1,3-dihydro-3-hydroxy-5-phenyl-2H-1,4-benzodiazepin-2-one | P IV | x |
| Oxazolam | | 10-chloro-2-methyl-11b-phenyl-2,3,5,7-tetrahydro-[1,3]oxazolo[3,2-d][1,4]benzodiazepin-6-one | P IV | x |
| Oxycodone | | 4,5-epoxy-14-hydroxy-3-methoxy-17-methylmorphinan-6-one | N I | x |
| Oxymorphone | Opana, Numorphan | 4,5 α -epoxy-3,14-dihydroxy-17-methylmorphinan-6-one | N I | x |
| Parafluorobutyrylfentanyl | | N-(4-fluorophenyl)-N-[1-(2-phenylethyl)piperidin-4-yl]butanamide | N I | x |
| Para-fluorofentanyl | | N-(4-fluorophenyl)-N-[1-(2-phenylethyl)piperidin-4-yl]propanamide | N I+IV | x |
| Parahexyl | Synhexyl | 3-hexyl-6,6,9-trimethyl-7,8,9,10-tetrahydrobenzo[c]chromen-1-ol | P I | x |
| para-Methoxyphenylpiperazine | MeOPP, 4-MPP | 1-(4-methoxyphenyl)piperazine | | x |
| Pemoline | | 2-amino-5-phenyl-1,3-oxazol-4-one | P IV | x |
| Pentazocine | | 6,11-dimethyl-3-(3-methylbut-2-enyl)-1,2,3,4,5,6-hexahydro-2,6-methano-3-benzazocin-8-ol | P III | |
| Pentedrone | | 1-phenyl-2-(methylamino)pentan-1-one | PII | |
| Pentobarbital | Pentobarbitone | 5-ethyl-5-(pentan-2-yl)-1,3-diazinane-2,4,6-trione | P III | x |
| Pentylone | | 1-(1,3-benzodioxol-5-yl)-2-(methylamino)pentan-1-one | | x |
| PEPAP | 1-(2-phenylethyl)-4-phenyl-4-acetoxypiperidine | 4-phenyl-1-(2-phenylethyl)piperidin-4-yl acetate | N I+IV | |
| Pethidine | Meperidine | ethyl 1-methyl-4-phenylpiperidine-4-carboxylate | N I | x |
| Pethidine intermediate A | | 1-methyl-4-phenylpiperidine-4-carbonitrile | N I | x |
| Pethidine intermediate B | Norpethidine, Normeperidine | ethyl 4-phenylpiperidine-4-carboxylate | N I | x |
| Pethidine intermediate C | Pethidinic acid | 1-methyl-4-phenylpiperidine-4-carboxylic acid | N I | x |
| Phenadoxone | | 6-(morpholin-4-yl)-4,4-diphenylheptan-3-one | N I | |
| Phenampromide | | N-phenyl-N-[(1-piperidin-1-yl)propan-2-yl]propanamide | N I | |
| Phenazepam | | 7-bromo-5-(2-chlorophenyl)-1,3-dihydro-2H-1,4-benzodiazepin-2-one | | x |
| Phenazocine | | 6,11-Dimethyl-3-(2-phenylethyl)-1,2,3,4,5,6-hexahydro-2,6-methano-3-benzazocin-8-ol | N I | |

| | | | | |
|---------------------|---|--|----------|---|
| Phencyclidine | PCP, "Englaryk" | 1-(1-phenylcyclohexyl)piperidine | P II | x |
| Phendimetrazine | Bontril | 3,4-dimethyl-2-phenylmorpholine | P IV | x |
| Phenibut | | 4-amino-3-phenylbutanoic acid | | x |
| Phenmetrazine | Oxazimedrine, Preludin | 3-methyl-2-phenylmorpholine | P II | x |
| Phenobarbital | Phenobarbitone | 5-ethyl-5-phenyl-1,3-diazinan-2,4,6-trione | P IV | x |
| Phenomorphan | | 17-(2-phenylethyl)morphinan-3-ol | N I | x |
| Phenoperidine | | ethyl 1-(3-hydroxy-3-phenylpropyl)-4-phenylpiperidine-4-carboxylate | N I | |
| Phentermine | Phenyl-tertiary-butylamine | 2-methyl-1-phenylpropan-2-amine | P IV | |
| Phenylisobutylamine | PBA | 1-phenylbutan-2-amine | | x |
| Pholcodine | | 7,8-didehydro-4,5-epoxy-17-methyl-3-[2-(morpholin-4-yl)ethoxy]morphinan-6-ol | N II+III | |
| Piminodine | Alvodine | ethyl 1-(3-anilinopropyl)-4-phenylpiperidine-4-carboxylate | N I | |
| Pinazepam | | 7-chloro-1,3-dihydro-5-phenyl-1-(prop-2-ynyl)-2H-1,4-benzodiazepin-2-one | P IV | x |
| Pipradrol | | diphenyl(piperidin-2-yl)methanol | P IV | |
| Piritramide | | 1-(3-cyano-3,3-diphenylpropyl)-4-(piperidin-1-yl)piperidine-4-carboxamide | N I | |
| p-MePPP | | 1-(4-methylphenyl)-2-(pyrrolidin-1-yl)propan-1-one | | x |
| Poppy straw | Valmúastrá ásamt þykki unnu úr valmúastrái | | N I | |
| Prazepam | | 7-chloro-1-(cyclopropylmethyl)-1,3-dihydro-5-phenyl-2H-1,4-benzodiazepin-2-one | P IV | x |
| Pregabalin | | (3S)-3-(aminomethyl)-5-methylhexanoic acid | | |
| Proheptazine | | 1,3-dimethyl-4-phenylazepan-4-yl propionate | N I | |
| Properidine | | propan-2-yl 1-methyl-4-phenylpiperidine-4-carboxylate | N I | |
| Propiram | | N-(1-(piperidin-1-yl)propan-2-yl)-N-(pyridin-2-yl)propanamide | N II+III | |
| Propylhexedrine | | 1-cyclohexyl-N-methylpropan-2-amine | | x |
| Propylphenidate | | propyl-2-phenyl-2-(piperidin-2-yl)acetate | | x |
| Proscaline | 4-Propoxy-3,5-DMPEA proscaline | 3,5-dimethoxy-4-propoxyphenethylamine | | x |
| Protonitazene | | N,N-diethyl-2-[5-nitro-2-[(4-propoxyphenyl)methyl]benzimidazol-1-yl]ethanamine | N I | x |
| Psilocin | Psilotsin, 4-OH-DMT, 4-Hydroxy-N,N-dimethyltryptamine | 3-[2-(dimethylamino)ethyl]-1H-indol-4-ol | P I | x |

| | | | | |
|--------------------------------|---|---|------|---|
| Psilocybin | | 3-[2-(dimethylamino)ethyl]-1 <i>H</i> -indol-4-yl dihydrogen phosphate | P I | x |
| PV9 | α-POP | 1-phenyl-2-(pyrrolidin-1-yl)octan-1-one | | x |
| Pyrazolam | | 8-bromo-1-methyl-6-(pyridin-2-yl)-4 <i>H</i> -benzo[f][1,2,4]triazolo[4,3-a][1,4]diazepine | | x |
| Pyrithyldione | | 3,3-diethyl-1 <i>H</i> -pyridine-2,4-dione | | x |
| Pyrovalerone | 4-methyl- β -ketone-prolintane, Centroton | 1-(4-methylphenyl)-2-(pyrrolidin-1-yl)pentan-1-one | P IV | |
| Racemethorphan | | (1RS,9RS,10RS)-4-methoxy-17-methyl-17-azatetracyclo[7.5.3.0 ^{1,10} .0 ^{2,9}]heptadeca-2,4,6-triene | N I | |
| Racemoramide | | (3RS)-3-methyl-4-morpholin-4-yl-2,2-diphenyl-1-pyrrolidin-1-ylbutan-1-one | N I | |
| Racemorphan | | 17-methylmorphinan-3-ol | N I | |
| RCS-4 | SR-19, OBT-199, BTM-4, E-4 | (4-methoxyphenyl)(1-pentyl-1 <i>H</i> -indol-3-yl)methanone | | x |
| RCS-4 4-hydroxyphenyl analogue | | (4-hydroxyphenyl)(1-pentyl-1 <i>H</i> -indol-3-yl)methanone | | x |
| RCS-4 C4 homologue | | (1-butyl-1 <i>H</i> -indol-3-yl)(4-methoxyphenyl)methanone | | x |
| RCS-4 meta Isomer | RCS-4 3-methoxy Isomer | (3-methoxyphenyl)(1-pentyl-1 <i>H</i> -indol-3-yl)methanone | | x |
| RCS-4 ortho Isomer | RCS-4 2-methoxy Isomer | (2-methoxyphenyl)(1-pentyl-1 <i>H</i> -indol-3-yl)methanone | | x |
| Remifentanil | | methyl 1-(3-methoxy-3-oxopropyl)-4-(N-propanoylanilino)piperidine-4-carboxylate | N I | x |
| Remimazolam | | methyl 3-{(4S)-8-bromo-1-methyl-6-(pyridin-2-yl)-4 <i>H</i> -imidazo[1,2-a][1,4]benzodiazepin-4-yl}propanoate | | x |
| Rolicyclidine | PCPy, PHP | 1-(1-phenylcyclohexyl)pyrrolidine | P I | x |
| <i>Salvia divinorum</i> | | | | x |
| Salvinorin A | | methyl 9-acetoxy-2-(furan-3-yl)-6a,10b-dimethyl-4,10-dioxo-2,4a,5,6,7,8,9,10a-octahydro-1 <i>H</i> -benzo[f]isochromene-7-carboxylate | | x |
| SDB-001 | | N-(1-adamantyl)-1-pentyl-1 <i>H</i> -indol-3-carboxamide | | x |
| SDB-006 | | N-benzyl-1-pentyl-1 <i>H</i> -indol-3-carboxamide | | x |
| Secbutobarbital | Sebutobarbitone, Butabarbital, Butabarbitone | 5-butan-2-yl-5-ethyl-1,3-diazinane-2,4,6-trione | P IV | x |
| Secobarbital | Quinalbarbitone. Secobarbitone, Secobarbital sodium | 5-pentan-2-yl-5-prop-2-enyl-1,3-diazinane-2,4,6-trione | P II | x |
| Senecioylfentanyl | β' -methyl Crotonyl fentanyl, 3,3-Dimethylacrylfentanyl | 3-methyl-N-(1-phenethylpiperidin-4-yl)-N-phenylbut-2-enamide | | x |

| | | | | |
|---------------------------------|--|--|------|---|
| SL-164 | | 5-chloro-3-(4-chloro-2-methylphenyl)-2-methylquinazolin-4(3H)-one | | x |
| STS-135 | | N-(1-adamantyl)-1-(5-fluoropentyl)-1H-indol-3-carboxamide | | x |
| Sufentanil | | N-[4-(methoxymethyl)-1-(2-thien-2-ylethyl)piperidin-4-yl]-N-phenylpropanamide | N I | x |
| Tapentadol | | 3-[1-(dimethylamino)-2-methylpentan-3-yl]phenol | | x |
| Temazepam | | 7-chloro-1,3-dihydro-3-hydroxy-1-methyl-5-phenyl-2H-1,4-benzodiazepin-2-one | P IV | x |
| Tenamphetamine | 3,4-methylenedioxymphetamine, MDA | 1-(1,3-benzodioxol-5-yl)propan-2-amine | P I | x |
| Tenocyclidine | TCP | 1-(1-(thien-2-yl)cyclohexyl)piperidine | P I | x |
| te Tetrahydrocannabinolaceta | THC-O-acetate | [(6aR,10aR)-6,6,9-trimethyl-3-pentyl-6a,7,8,10a-tetrahydrobenzo[c]chromen-1-yl]acetate | | x |
| Tetrahydrocannabidiol | H4-CBD | 2-(2-isopropyl-5-methylcyclohexyl)-5-pentylbenzene-1,3-diol | | x |
| Tetrahydrocannabinol | THC, (-)-trans-Δ9-tetrahydrocannabinol og öll isomer þess og afleiður, þ.m.t. tetrahydrocannabinolsýra | 6,6,9-trimethyl-3-pentyl-6a,7,8,10a-tetrahydrobenzo[c]chromen-1-ol | P I | x |
| Tetrahydrocannabiphorol | THCP | 3-heptyl-6,6,9-trimethyl-6a,7,8,10a-tetrahydro-6H-benzo[c]chromen-1-ol | | x |
| Tetrahydrofurylfentanyl | tetrahydrofuranfentanyl, THF-F | N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]tetrahydrofuran-2-carboxamide | N I | x |
| Tetramethylcyclopropyl-fentanyl | | N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]-2,2,3,3-tetramethylcyclopropane-1-carboxamide | | x |
| Tetrazepam | | 7-chloro-5-(cyclohexen-1-yl)-1,3-dihydro-1-methyl-2H-1,4-benzodiazepin-2-one | P IV | x |
| Thebacon | Dihydrocodeinone acetate | 6,7-Didehydro-4,5-epoxy-3-methoxy-17-methylmorphinan-6-yl acetate | N I | |
| Thebaine | Paramorphine, methyl enol ether | 6,7,8,14-tetrahydro-4,5-epoxy-3,6-dimethoxy-17-methylmorphinan | N I | |

| | | | | |
|---------------------------------|---|--|--------|---|
| Thiafentanil | | methyl-4-[phenyl(methoxy-acetyl)amino]-1-[2-(2-thienyl)ethyl]piperidin-4-carboxylate | | x |
| Thiofentanyl | | <i>N</i> -phenyl- <i>N</i> -[1-(2-(thien-2-yl)ethyl)piperidin-4-yl]propanamide | N I+IV | x |
| Thiopental | | 5-ethyl-5-(pentan-2-yl)-2-sulfanylidene-1,3-diazinane-4,6-dione | | x |
| THJ-2201 | | (1-(5-fluoropentyl)-1 <i>H</i> -indazol-3-yl)(naphthalen-1-yl)methanone | | x |
| TH-PHP | | 2-(pyrrolidin-1-yl)-1-(5,6,7,8-tetrahydronaphthalen-2-yl)hexan-1-one | | x |
| TH-PVP | | 2-(pyrrolidin-1-yl)-1-(5,6,7,8-tetrahydronaphthalen-2-yl)pentan-1-one | | x |
| Tiletamine | | 2-(ethylamino)-2-(thiophen-2-yl)cyclohexan-1-one | | x |
| Tilidine | Tilidate | ethyl 2-dimethylamino-1-phenylcyclohex-3-ene-1-carboxylate | N I | |
| TMA | 3,4,5-trimethoxyamphetamine, 3,4,5-trimethoxyphenylisopropylamine | 1-(3,4,5-trimethoxyphenyl)propan-2-amine | P I | x |
| TMA-2 | 2,4,5-trimethoxyamphetamine, 2,4,5-trimethoxyphenylisopropylamine | 1-(2,4,5-trimethoxyphenyl)propan-2-amine | | x |
| TMA-6 | 2,4,6-trimethoxyamphetamine, 2,4,6-trimethoxyphenylisopropylamine | 1-(2,4,6-trimethoxyphenyl)propan-2-amine | | x |
| Tramadol | | 2-[(dimethylamino)methyl]-1-(3-methoxyphenyl)cyclohexan-1-ol | | x |
| Triazolam | Chlorotriazolam | 8-Chloro-6-(2-chlorophenyl)-1-methyl-4 <i>H</i> -[1,2,4]triazolo[4,3-a][1,4]benzodiazepine | P IV | x |
| Trifluoromethylphenylpiperazine | TFMPP | 1-[3-(trifluoromethyl)phenyl]piperazine | | x |
| Trimeperidine | | 1,2,5-trimethyl-4-phenylpiperidin-4-yl propionate | N I | |
| Tybamate | | [2-(carbamoyloxymethyl)-2-methylpentyl] <i>N</i> -butylcarbamate | | x |
| U-47700 | | 3,4-dichlor-N-(2-(dimethylamino)cyclohexyl)-N-methylbenzamide | N I | x |
| U-49900 | | <i>N</i> -[2-(diethylamino)cyclohexyl]-3,4-dichloro- <i>N</i> -methylbenzamide | | x |
| UR-144 | | (1-pentyl-1 <i>H</i> -indol-3-yl)(2,2,3,3-tetramethylcyclopropyl)methanone | PII | x |

| | | | | |
|------------------------------------|-------------------------|--|--------|---|
| Valerylfentanyl | | N-phenyl-N-[1-(2-phenylethyl)-4-piperidyl]pentanamid | NI | x |
| Vinbarbital | Vinbarbitone | 5-ethyl-5-[(E)-pent-2-en-2-yl]-1,3-diazinane-2,4,6-trione | | x |
| Vinylbital | Butylvinal, Vinylbitone | 5-ethenyl-5-pentan-2-yl-1,3-diazinane-2,4,6-trione | P IV | x |
| W-15 | | 4-chloro-N-(1-(2-phenylethyl)-piperidin-2-ylidene)benzenesulfonamide | | x |
| W-18 | | 4-chloro-N-(1-[2-(4-nitrophenyl)ethyl]piperidin-2-ylidene)benzenesulfonamide | | x |
| WIN 55,212-2 | | [2,3-Dihydro-5-methyl-3-(4-morpholinylmethyl)pyrrolo[1,2,3-de]-1,4-benzoxazin-6-yl](1-naphthalenylmethanone) | | x |
| Zapizolam | | 8-chloro-6-(2-chlorophenyl)-4H-pyrido[2,3-f][1,2,4]triazolo[4,3-a][1,4]diazepine | | x |
| Zipeprol | | 1-methoxy-3-[4-(2-methoxy-2-phenylethyl)piperazin-1-yl]-1-phenylpropan-2-ol | P II | x |
| Zolpidem | | N,N-dimethyl-2-[6-methyl-2-(4-methylphenyl)imidazo[1,2-a]pyridin-3-yl]acetamide | P IV | x |
| zópfklón | Zopiklon | | | x |
| α-D2PV | | 1,2-diphenyl-2-(1-pyrrolidinyl)-ethanone | | x |
| α-diethylmethylamino-pentiophenone | | 1-fenyl-2-(1-metyletylamino)pentan-1-on | | x |
| α-Dimethylaminopentio-phenone | | | | x |
| α-EPP | | α-ethylaminopentiophenone | | x |
| α-methylfentanyl | | N-phenyl-N-[1-(1-phenylpropan-2-yl)piperidin-4-yl]propanamide | N I+IV | x |
| α-methylthiofentanyl | | N-phenyl-N-[1-(1-thien-2-ylpropan-2-yl)piperidin-4-yl] propanamide | N I+IV | x |
| α-methyltryptamine | AMT, Indopan | 1-(1 <i>H</i> -indol-3-yl)propan-2-amine | | x |
| α-PCYP | | 2-cyclohexyl-1-phenyl-2-(pyrrolidin-1-yl)ethan-1-one | | x |
| α-PEP | | 1-phenyl-2-(pyrrolidin-1-yl)heptan-1-one | | x |
| α-PHP | | 1-phenyl-2-(pyrrolidin-1-yl)hexan-1-one | | x |
| α-PHPP | | α-pyrrolidinoheptophenone | | x |
| α-PNP | | 1-phenyl-2-(pyrrolidin-1-yl)nonan-1-one | | x |
| α-POP | | 1-phenyl-2-(pyrrolidin-1-yl)octan-1-one | | x |
| α-pyrrolidinobutiophenone | α-PBP | 1-phenyl-2-(pyrrolidin-1-yl)butan-1-one | | x |

| | | | | |
|------------------------------------|--|--|----------|---|
| α -pyrrolidinopentiophenone | α -pyrrolidinovalerophenone, α -PVP | 1-phenyl-2-(pyrrolidin-1-yl)pentan-1-one | | x |
| α -pyrrolidinopropiophenone | α -PPP | 1-phenyl-2-(pyrrolidin-1-yl)propan-1-one | | x |
| α -TMT | | α -N,N-trimethyltryptamin | | x |
| β -hydroxy-3-methylfentanyl | | N-[1-(β -hydroxyphenethyl)-3-methyl-4-piperidyl]propionanilide | N I + IV | x |
| β -hydroxyfentanyl | | <i>N</i> -[1-(2-hydroxy-2-phenylethyl)piperidin-4-yl]- <i>N</i> -phenylpropanamide | N I+IV | x |
| Δ 8-THC | Δ 8-tetrahydrocannabinol | 6a,7,10,10a-tetrahydro-6,6,9-trimethyl-3-pentyl-6H-dibenzo[b,d]pyran-1-ol | P I | x |

ANNEX II.*Explanation*

D I - II: Substance listed in Annex I-II of the Convention against Illicit Traffic in Narcotic Drugs and Psychotropic Substances 1988).

| Substance | Other name | D I - II |
|--|-------------------------------|----------|
| 1-phenyl-2-propanone | Fenýlaseton, benzílmetylketón | D I |
| 3,4-MDP-2-P methyl glycidate | | D I |
| 3,4-MDP-2-P methyl glycidic acid | | D I |
| 3,4-methylenedioxypyphenyl-2-propanone | | D I |
| 4-Anilino-N-phenethylpiperidine | ANPP | D I |
| Acetic anhydride | Ediksýruanhýdrið | D I |
| Acetone | Asetón | D II |
| alpha-Phenylacetoacetamide | APAA | D I |
| alpha-Phenylacetoacetonitrile | APAAN | D I |
| Anthranilic acid | Antranílsýra | D II |
| Ephedrine | Efedrín | D I |
| Ergometrine | Ergometrín, Ergónovín | D I |
| Ergotamine | Ergotamín | D I |
| Ethyl ether | Etýleter, eter, díetyleter | D II |
| Hydrochloric acid | Saltsýra, múrátánsýra | D II |
| Isosafrole | Ísósafról | D I |
| Lysergic acid | Lýsergsýra | D I |
| Methyl ethyl ketone | 2-bútánón, MEK | D II |
| N-acetylanthranilic acid | N-asetylantranílsýra | D I |
| Norephedrine | | D I |
| N-Phenethyl-4-piperidone | NPP | D I |
| Phenylacetic acid | Fenýlediksýra | D I |
| Piperidine | Piperidín, hexahdropyridin | D II |
| Piperonal | Piperonal, heliótrópín | D I |
| Potassium permanganate | Kalíumpermanganat | D I |
| Pseudoephedrine | Pseudóefedrín | D I |
| Safrole | Safról | D I |
| Sulphuric acid | Brennisteinssýra, vítríololía | D II |
| Toluene | Tólúen, metýlbensen | D II |